

Chapter 14.12**DISCHARGE OF WASTES INTO THE PUBLIC SEWER AND STORM DRAIN
SYSTEMS****Sections:**

- 14.12.00A I. Preamble--Definitions**
- 14.12.110 Chapter purpose--Implementation of Regional Board resolution.**
- 14.12.120 Definitions.**
- 14.12.199A General Provisions**
- 14.12.200 Administration.**
- 14.12.205 Notice.**
- 14.12.210 Confidentiality.**
- 14.12.215 Inspection.**
- 14.12.220 Inspection warrants.**
- 14.12.225 Monitoring.**
- 14.12.230 Recordkeeping.**
- 14.12.235 Flow measurement.**
- 14.12.240 Infectious waste disposal.**
- 14.12.245 Water softening restrictions.**
- 14.12.250 Gravity separation interceptor.**
- 14.12.255 Interceptor requirements.**
- 14.12.260 Standard interceptor designs.**
- 14.12.265 Interceptor maintenance.**
- 14.12.270 Restaurants.**
- 14.12.275 Prohibited restaurant surface discharges.**
- 14.12.280 Conditional waivers.**
- 14.12.285 Liquid waste haulers.**
- 14.12.290 Use of and damage to City equipment or facilities.**
- 14.12.295 Surface discharge prohibitions.**
- 14.12.300 Point of discharge limitation.**
- 14.12.305 Time limits.**
- 14.12.309A III. Industrial Waste**
- 14.12.310 Separation of domestic and industrial waste.**
- 14.12.315 Prohibited waste discharges.**
- 14.12.320 Swimming pool discharge requirements.**
- 14.12.325 Limitation on wastewater strength.**
- 14.12.330 Local limits.**
- 14.12.335 De Minimus categorization.**
- 14.12.340 Pretreatment of industrial wastewater.**
- 14.12.345 Unauthorized monitoring and pretreatment equipment modifications.**
- 14.12.350 Pretreatment equipment bypass.**
- 14.12.355 Prohibited discharge of recovered pretreatment waste.**
- 14.12.360 Dilution prohibited as a substitute for treatment.**
- 14.12.365 Storm water diversion.**
- 14.12.370 Industrial user modifications.**
- 14.12.375 Spill containment system.**
- 14.12.380 Facility waste management plan.**
- 14.12.385 Federal categorical pretreatment standards.**

14.12.390	Commercial/Industrial tenant occupancy notification.
14.12.395	Notice of potential problems to director.
14.12.400	Written responses.
14.12.405	Falsifying information.
14.12.410	Wastewater discharge authorization certificate.
14.12.415	Industrial user group permits.
14.12.420	Industrial user permits.
14.12.425	Permit duration.
14.12.430	Duty to comply.
14.12.435	Permit renewal.
14.12.440	Permit modifications.
14.12.445	Permit transfer.
14.12.450	Fees and charges.
14.12.455	Assessment of permit fees and charges.
14.12.460	Payment of fees, charges and penalties; Late payment.
14.12.464A	IV. Enforcement
14.12.465	Enforcement Response Plan (ERP).
14.12.470	Administrative violations.
14.12.475	Violations of discharge limitations.
14.12.480	Unclassified violations.
14.12.485	Separate violations.
14.12.490	Administrative orders.
14.12.495	Industrial user permit revocation.
14.12.500	Termination of service.
14.12.505	Publication notice.
14.12.510	Civil penalties.
14.12.515	Criminal penalties.
14.12.520	Probationary periods.
14.12.525	Remedies nonexclusive.
14.12.530	Judicial collection.
14.12.535	Damage to facilities or interruption of normal operations.
14.12.540	Appeals.
14.12.545	Alternative enforcement procedures.
14.12.550	Invalidity.
14.12.555	Interpretation - Intent.

Section 14.12.00A I. Preamble--Definitions

Section 14.12.110 Chapter purpose--Implementation of Regional Board resolution.

The sewer system of the City discharges treated effluent into permeable soil structures and surface waters of the State, in particular the Santa Ana River. Stormwater runoff and dry weather nuisance water flow from within the City flow into the City's storm drains which also discharge into permeable soil structures, tributary ephemeral and perennial streams, and into the Santa Ana River. The chemical nature of these effluents affects the quality of water flowing in the receiving stream as well as the quality of underground waters in the vicinity.

The California Regional Water Quality Control Board, Santa Ana Region, hereinafter called the "Regional Board" has established discharge limitations for the chemical content of sewage effluent discharged by the City. These limitations are set forth from time to time in duly enacted resolutions and orders of the Regional Board. The United States Environmental

Protection Agency has also established regulations and requirements controlling the quality of water which may be discharged to waters of the United States from storm drains.

In order to conform to such sewage effluent discharge limitations and stormwater discharge regulations and requirements, the City must regulate the discharge of waste into its collection system and the flow of waste into its storm drain system.

A. This Chapter shall provide for the regulation of stormwater and wastewater discharges in accordance with the federal government's objectives of general pretreatment regulations as stated in Section 403.2 of Title 40 of the Code of Federal Regulations (CFR) and amendments thereto which are for the following purposes:

1. To prevent the introduction of pollutants into the City's publicly owned treatment works (POTW) which will interfere with the operation of the POTW, including interference with its use or disposal of municipal biosolids;

2. To prevent the introduction of pollutants into the POTW which will pass through the treatment works, inadequately treated, to the receiving waters or otherwise be compatible with such works;

3. To improve opportunities to recycle and reclaim municipal and industrial wastewater and biosolids;

4. To enable the City to comply with its NPDES Permit conditions, biosolids use and disposal requirements, and any other federal or state laws to which the POTW is subjected;

5. To enable the City to control the privileges to any use of the POTW; and

6. To protect and preserve the health and safety of the citizens and personnel of the City and Community Services Districts.

B. This Chapter shall apply to all users of the POTW. This Chapter authorizes:

1. The issuance of industrial user permits;

2. Monitoring, compliance, and enforcement activities;

3. Administrative review procedures;

4. Industrial waste plan check review services;

5. User reporting requirements;

6. The establishment of fees; and

7. The equitable distribution of costs resulting from the program established herein.

(Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.120 Definitions.

Unless the context specifically indicates otherwise, the meaning of the terms used in this Chapter shall be as follows:

1. Analytical Methods means the sample analysis techniques prescribed in 40 CFR Part 136 and amendments thereto. Where 40 CFR Part 136 does not contain sampling or analytical techniques for the pollutant in question, or where the EPA determines that Part 136 sampling and analytical techniques are inappropriate for the pollutant in question, sampling and analysis shall be performed using validated analytical methods, approved by the City, or any other applicable sampling and analytical procedures, including procedures suggested by the City or other parties as approved by the EPA.

2. Authorized Representative means:

- A. A responsible corporate officer, if the user is a corporation, of the level of president, secretary, treasurer, or vice president in charge of a principal business function, or any other person who performs similar policy or decision making functions for the corporation; or the manager of one or more manufacturing or production processes, or operation, if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

B. A general partner, managing member or proprietor if the user is a partnership, limited liability company or sole proprietorship respectively;

C. If the user is a federal, state, or local government facility: a director, highest appointed official, employee designated to oversee the operation and performance of the activities of the government facility, or his or her designee.

D. A duly Authorized Representative of the individual designated in paragraph A., B. or C. if such representative is responsible for the overall operation of the facility from which the discharge originates and such authorization is confirmed in writing to the Director by the individual described in paragraph A., B. or C. of this definition.

3. Biochemical Oxygen Demand (BOD) means the quantity of oxygen, expressed in mg/L, required to biologically oxidize material in a waste or wastewater sample measured under standard laboratory methods of five days at twenty degrees Centigrade.

4. Bypass means the intentional diversion of waste streams from any point of a user's pretreatment facility.

5. Categorical User means all industrial users subject to National Categorical Pretreatment Standards promulgated by the EPA in accordance with Sections 307 (b) and (c) of the Clean Water Act (33 U.S.C. Sec.1317 et seq.) and amendments thereto, and as listed by the EPA under the appropriate subpart of 40 CFR Chapter I, Subchapter N, and amendments thereto.

6. Chemical Oxygen Demand (COD) means the quantity of oxygen, expressed in mg/L required to chemically oxidize material in a waste sample or wastewater sample, under specific conditions of an oxidizing agent, temperature, and time. COD results are not necessarily related to BOD results.

7. City Attorney means the City Attorney for the City or an authorized representative, deputy, or agent appointed by the City Attorney.

8. Class I User means an industrial user with an annual average wastewater discharge of twenty-five thousand gallons or more per day; a Significant Industrial User; and a Categorical User which has a federally regulated process wastestream discharge.

9. Class II User means an industrial user with an annual average wastewater discharge between ten thousand and twenty-four thousand nine hundred ninety-nine gallons per day.

10. Class III User means an industrial user with an annual average wastewater discharge between one and nine thousand nine hundred ninety-nine gallons per day where the industrial discharge has a reasonable potential for adversely affecting the POTW's operation or violating any pretreatment standard, prohibition, or requirement of this Chapter.

11. Class IV User means any person that stores hazardous substances on its site, irrespective of whether such person discharges industrial process wastewater to City's collection system.

12. Class V User means an industrial user that has a temporary need to discharge wastewater to the City's collection system. The temporary period shall be from one to one hundred eighty days.

13. Class VI User means an industrial user that hauls wastewater by truck or other means from septic tanks, cesspools, seepage pits, and private disposal systems.

14. Collection Agency means the City or a public agency with which the City has an interjurisdictional agreement covering the collection and discharge of sewage within such agency into the City's collection system for transmission, treatment, and disposal.

15. Collection System means all pipes, sewers and conveyance systems conveying wastewater to the POTW, owned and maintained by the City and/or by tributary Community Services Districts contracting with the City for sewer service, excluding sewer service lateral line connections.

16. Combined Wastestream Formula means the formula, as outlined in the general pretreatment regulations of the Clean Water Act, 40 CFR 403.6(e), for determining wastewater

discharge limitations for Categorical Industrial Users whose effluent is a mixture of regulated, unregulated, and dilution wastewater as defined in the formula.

17. Community Services District means the Edgemont Community Services District, Jurupa Community Services District, Rubidoux Community Services District, or any other district which contracts with the City for sewer service.

18. Compliance Schedule means a time schedule enforceable under this Chapter containing increments of progress, i.e. milestones, in the form of dates. These milestones shall be for the commencement and/or completion of major events leading to the construction and operation of additional pretreatment facilities or the implementation of policies, procedures or operational management techniques required for the user to comply with all applicable federal, state or local environmental regulations which may directly or indirectly affect the quality of the user's wastewater effluent.

19. Composite Sample means a series of grab samples of equal volume taken at a predetermined time or flow rate for a predetermined period of time, which are combined into one sample.

20. Confined Space, pursuant to California Code of Regulations, Title 8, Section 5157, subsection b, and amendments thereto, means a space that:

A. Is large enough and so configured that a person can bodily enter and perform assigned work;

B. Has limited or restricted means for entry or exit (for example, tanks vessels, silos, storage bins, hoppers, vaults, and pits are spaces that may have limited means of entry); and

C. Is not designed for continuous occupancy by a person.

21. Conventional Pollutants means BOD, COD, total suspended solids, pH, fecal coliform, oil and grease, total nitrogen and such additional pollutants as are now or may be in the future specified and controlled in the City's NPDES permit for its POTW where said POTW has been designed and used to reduce or remove such pollutants.

22. Cooling Water means all water used solely for the purpose of cooling a manufacturing process, equipment, or product.

23. Dilution means the increase in use of process water or any other means to dilute a wastestream as a partial or complete substitute for adequate treatment to achieve discharge requirements.

24. Director means the Public Works Director of the City or an authorized representative, deputy, or agent appointed by the Public Works Director.

25. Domestic Septic Wastes means all domestic wastes contained in septic tanks, cesspools, seepage pits, holding tanks and private disposal systems.

26. Domestic Wastewater means wastewater from private residences and wastewater from other premises resulting from the use of water for personal washing, sanitary purposes or the discharge of human excrement and related matter. Domestic wastewater when analyzed by standard methods shall contain no more than two hundred mg/L of total suspended solids, two hundred mg/L of BOD and four hundred twenty mg/L of COD.

27. Effluent means treated wastewater flowing from treatment facilities, the POTW, or a user's pretreatment equipment.

28. Emergency means facts or circumstances that City reasonably determines create an imminent threat of harm to public health or safety, the environment or the POTW.

29. EPA means the United States Environmental Protection Agency.

30. Federal Categorical Pretreatment Standard means the National Pretreatment Standards, established by the EPA, specifying quantities or concentrations of pollutants or pollutant properties which may be discharged or introduced into the City's collection system or POTW by existing or new industrial users in specific industrial categories established as separate regulations under the appropriate subpart of 40 CFR Chapter I, Subchapter N, and amendments thereto.

31. Good Faith means the user's honest intention to remedy noncompliance together with actions that support the intention without the use of enforcement actions by the City. Examples of these intentions are improved housekeeping practices or the installation of pretreatment equipment to reduce or eliminate pollutants.

32. Grab Sample means an individual sample collected over a period of time not exceeding fifteen minutes.

33. Gravity Separation Interceptor means an approved detention chamber designed to remove floatable and settleable material from industrial wastewater prior to discharge into the City's collection system.

34. Hazardous Substance means any substance capable of creating imminent endangerment to health or the environment including, but not limited to, any substance designated under 40 CFR Section 310.11(d) and amendments thereto, or any hazardous chemical substance subject to regulation under the Toxic Substances Control Act, 15 USCA Section 2601, et seq. and amendments thereto. In general, substances which are toxic, explosive, corrosive, flammable or irritants, or which generate pressure through heat or decomposition, e.g., heavy metals, pesticides, strong acids or bases, distillate fuels, oxidants, etc.

35. Heating Water means all water used solely for the heating of a manufacturing process, equipment, or product.

36. Industrial User means all persons, entities, public or private, industrial, commercial, governmental, or institutional which discharge or cause to be discharged, industrial wastewater and waterborne waste into the City's collection system or POTW.

37. Industrial User Permit means the regulatory procedure established and enforced by the Public Works Director to control the discharge of wastewater into the City's collection system or POTW.

38. Industrial Wastewater means all water containing wastes of the community, excluding domestic wastewater, and includes all wastewater from any producing, manufacturing, processing, institutional, governmental, commercial, service, agricultural or other operation. Industrial wastewater may also include cooling tower and boiler blowdown water, potable water treatment wastewater and chemical toilet wastewater if the wastewater contains levels of pollutants above the wastewater discharge limitations established by this Chapter.

39. Infectious Waste means all wastes that normally cause, or significantly contribute to the cause, increased morbidity or mortality of human beings.

40. Interference means any discharge from a user which, alone or in conjunction with a discharge or discharges from other sources both: inhibits or disrupts the City's collection system, POTW, treatment processes or operations, or sludge processes, use or disposal; and which is a cause of a violation of any requirement of the City's NPDES permit including an increase in the magnitude or duration of violation) or of the prevention of sewage sludge use or disposal in compliance with Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (including Title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), state regulations contained in any State sludge management plan prepared pursuant to Subtitle D of the SWDA), the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection Research and Sanctuaries Act, and any amendments to these Acts or regulations.

41. Ion Exchange Water Softener means a water conditioning apparatus that is designed to remove hardness or other impurities from a user's incoming potable water supply.

42. Liquid Waste Hauler means any person engaged in the truck hauling of liquid wastes from septic tanks, seepage pits, cesspools, or any other private disposal system for domestic wastewater.

43. Local Limits means specific prohibitions or pollutant limitations or pollutant parameters which are developed by the City in accordance with 40 CFR 403.5(c) and amendments thereto.

44. Lower Explosive Limit (LEL) means the minimum concentration of combustible gas or vapor in the air that will ignite if an ignition source is present.

45. Mass Emission Rate means the pounds per day discharged to the City's collection system of a particular pollutant or combination of pollutants, as contained in an Industrial User Permit.

46. May means permissive.

47. mg/L means milligrams per liter.

48. Milestone means increments of progress in the form of dates, not to exceed nine months, and are used in compliance schedules. Milestones shall be for the commencement and/or completion of major events leading to the construction and operation of additional pretreatment facilities or the implementation of policies, procedures or operational management techniques required for the user to comply with all applicable federal, state or local environmental regulations which may directly or indirectly affect the quality of the user's wastewater effluent.

49. Monitoring/Production Information Order (MPIO) means an Administrative Order requiring an industrial user to determine the mass emission or concentration of pollutants or other conditions specified in the user's permit in its industrial wastewater discharge for all days within a fourteen consecutive calendar day period that industrial wastewater is discharged to the POTW and submit production data for that period.

50. Monthly Average means the average of daily measurements over a calendar month as calculated by adding all the daily measurements taken during the calendar month and dividing that sum by the sum of the number of daily measurements taken in the calendar month.

51. New Source means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced after the publication of proposed pretreatment standards under Section 307 (c) of the Federal Clean Water Act and amendments thereto, which will be applicable to such source if such standards are thereafter promulgated in accordance with that Section, provided that:

A. The building, structure, facility or installation is constructed at a site at which no other source is located; or

B. The building, structure, facility or installation totally replaces the process or production equipment that causes the discharge of pollutants at an existing source; or

C. The production or wastewater generating processes of the building, structure, facility or installation are substantially independent of an existing source at the same site. In determining whether these are substantially independent, factors such as the extent to which the new facility is integrated with the existing plant, and the extent to which the new facility is engaged in the same general type of activity as the existing source may be considered.

52. NPDES Permit means the then effective National Pollutant Discharge Elimination System Permit issued from time to time by the Regional Board establishing the Waste Discharge and Producer/User Reclamation Requirements for the Riverside Regional Water Quality Control Plant.

53. Oil and Grease means any of the following in part or in combination:

A. Petroleum derived products, e.g., oils, fuels, lubricants, solvents, cutting oils;

B. Vegetable derived products, e.g., oils, shortenings, water soluble cutting oils; or

C. Animal derived products, e.g., fats, greases, oils, lard.

54. Pass Through means any discharge which exits the POTW into waters of the United States in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, causes a violation of any requirement of the NPDES Permit, including an increase in the magnitude or duration of a violation.

55. Permit-Required Confined Space pursuant to California Code of Regulations, Title 8, Section 5157, subsection b, and amendments thereto, means a confined space that has one or more of the following characteristics:

- A. Contains or has the potential to contain a hazardous atmosphere;
- B. Contains a material that has the potential for engulfing an entrant;
- C. Has an internal configuration such that an entrant could be trapped or and tapers to a smaller cross-section; or
- D. Contains any other recognized serious safety or health hazard.

56. Person means any individual, firm, company, association, society, general or limited partnership, limited liability company, trust, corporation, governmental agency or group, and includes the plural as well as the singular.

57. Pollutant means conventional pollutants, domestic wastewater, hazardous substances, infectious waste, slug discharges, dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, medical waste, heat, rock, sand, cellar dirt and industrial, municipal, and agricultural waste.

58. Pollutant Exceedance Fee means a fee in addition to the sewer service charge, which is charged on those users whose wastewater discharge pollutants exceed permitted pollutant levels for COD, total suspended solids, total nitrogen or oil and grease.

59. POTW means City's Publicly Owned Treatment Works. This definition includes all devices, equipment, pipes, and systems used in the transmission, storage, treatment, recycling and reclamation of municipal sewage, sludge, or industrial wastewater, except sewer service lateral line connections.

60. Pretreatment means the reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of the pollutant properties in wastewater prior to or in lieu of discharging or otherwise introducing such pollutants into the POTW. The reduction or alteration may be obtained by physical, chemical or biological processes, process changes or by any other means, except dilution.

61. Pretreatment Waste means all waste, liquid or solid, removed from a waste stream or discharge by physical, chemical, or biological means.

62. Qualified Professional means any person who by virtue of education, training, or experience is qualified to evaluate and assess pollutant discharges and violations of this Chapter.

63. RCRA means the Resource Conservation and Recovery Act and its Regulations as contained in 40 CFR Part 260-266 and 270 and amendments thereto.

64. Restaurant means all retail establishments selling prepared foods and drinks for consumption on or off the premises; and lunch counters and refreshment stands selling prepared foods and drinks for immediate consumption. Retail establishments, lunch counters, and drinking places selling prepared food and drink as a subordinate service incidental to their primary operations and institutional facilities (e.g. schools, jails, prisons, and juvenile halls), which serve food on the premises shall also be considered restaurants.

65. Shall means mandatory.

66. Self-monitoring means wastewater samples taken by a user or the user's contracted laboratory, consultant, engineer, or similar entity.

67. Service Lateral Line means the wastewater collection pipe extending from premises where the wastewater is generated up to and including the connection to the City's or a Community Services District's collection system.

68. Significant Industrial User (SIU) means all industrial users subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N and amendments thereto, and any user which discharges one or more of the following:

A. Industrial wastewater at an average rate of at least twenty-five thousand gallons per day (gpd) to the POTW (excluding sanitary, noncontact cooling and boiler blowdown wastewater);

B. A process wastestream which makes up five percent or more of the average dry weather hydraulic or organic capacity of the City's POTW; or

C. Wastewater that the Director requires to be controlled by a Class I Industrial User Permit.

69. Significant Noncompliance (SNC) means any compliance violation that meets one or more of the following criteria:

A. Chronic violation of wastewater discharge limits, which are defined as those in which sixty-six percent or more of all of the measurements for each pollutant taken during a consecutive six month period exceed (by any magnitude) the daily maximum limit or the average limit for the same pollutant;

B. Technical review criteria (TRC) violations, which are defined as those in which thirty-three percent or more of all of the measurements for each pollutant taken during a consecutive six month period equal or exceed the product of the daily maximum limit or the average limit multiplied by the applicable TRC (TRC=1.4 for BOD, TSS, fats, oil and grease, and 1.2 for all other pollutants except pH);

C. Any other violation of a pretreatment effluent limit (daily maximum or longer term average) that the City determines has caused, alone or in combination with other discharges, interference or pass through (including endangering the health of POTW personnel or the general public);

D. Any discharge of a pollutant that has caused imminent endangerment to human health or welfare or to the environment or has resulted in the City's exercise of its emergency authority to halt or prevent such a discharge;

E. Failure to meet, within ninety days after the scheduled date, a compliance schedule milestone contained in an Administrative Order, for starting construction, completing construction, or attaining final compliance;

F. Failure to provide, within thirty days of the due date, any required reports such as baseline monitoring reports, ninety day compliance reports, periodic self-monitoring reports, and reports on compliance with compliance schedules;

G. Failure to pay, within thirty days, all applicable industrial user application, permit, and enforcement penalty fees;

H. Failure to accurately report non-compliance; or

I. Any other violations or group of violations which the City believes will adversely affect the operation and implementation of the City's pretreatment program.

70. Single Pass Cooling Water means water that is used solely for the purpose of cooling and is used only once before being discharged.

71. Single Pass Heating Water means water that is used solely for the purpose of heating and is used only once before being discharged.

72. Slug Discharge means any non-routine, episodic discharge of wastewater, material or waste with such a high volume or pollutant concentration which will cause damage to, interference with, or pass through in the collection system, POTW, or POTW sludge processes, use, or disposal.

73. Storm Drain means a system of open channels, lined and unlined channels, surface channels, impound basins, ground water recharge basins, storm water holding ponds, underground pipes, curb and gutter, cross gutters, storm water pump and lift stations, parking lots, paved areas, streets, and natural water courses used to collect and direct storm precipitation and surface runoff to a receiving body of water or underground aquifer recharge basins.

74. Storm water means water flowing or discharged as a result of rain, snow, or other precipitation.

75. Temporary User means any user who is granted temporary permission by the Director to discharge unpolluted water or wastewater to the sewer system and controlled by a Class V Industrial User Permit.

76. Total Suspended Solids means the total amount of residue retained by laboratory filtration and dried at 103-105 degrees C.

77. Total Toxic Organics, (TTO) means the sum of all quantifiable values greater than 0.01 mg/L of the regulated toxic organic compounds which are found in the user's industrial wastewater discharge.

78. Unpolluted Water means cooling and heating water, single pass cooling and heating water, air conditioning condensate, ice melt, condensate, landscape irrigation, crop irrigation, rain water, and water not containing any substances limited or prohibited by effluent standards in effect or water whose discharge will not cause any violation of receiving water quality standards.

79. Upset means an exceptional incident which causes temporary and unintentional non-compliance with the discharge limitations or prohibitions applicable to a user or the POTW and which is beyond the reasonable control of a user or the POTW.

80. User means any person, public or private, residential, industrial, commercial, governmental, or institutional which discharges or causes to be discharged, wastewater or waterborne waste into the collection system of the City or Community Services District.

81. Waste means any discarded solid, semi-solid, liquid, or gaseous material.

82. Water Supply means the water supply serving the area tributary to the POTW or the collection system. (Ord. 6637 § 2 (part), 2002; Ord. 6398 § 1, 1997; Ord. 6232 § 2 (part), 1995)

Section 14.12.199A General Provisions

Section 14.12.200 Administration.

A. Interpretive Rules, Adoption of: The Director may adopt interpretive rules consistent with the provisions of this Chapter for the administration of the wastewater and storm drain systems. Interpretive rules by the Director pertain to, but shall not be limited to, discharge limitations, pretreatment requirements, standards for wastewater lines and services and implementation of standards promulgated pursuant to the Federal Water Pollution Control Act as amended by the Clean Water Act and further amendments thereto.

B. Regulatory Actions; General Powers of the Director. Except as otherwise provided herein, the Director shall administer, implement and enforce the provisions of this Chapter. Any powers granted or duties imposed upon the Director may be delegated by the Director to persons acting in the beneficial interest or employ of the City, but shall remain the responsibility of the Director. In addition to the authority to prevent or eliminate discharges through enforcement of discharge limitations and prohibitions, the Director shall have the following authorities:

1. Endangerment to the health or welfare of the community. The Director, after informal notice to the affected user, may immediately and effectively halt or prevent any discharge of pollutants into any natural waterway or surface drainage within the City or any area under jurisdiction of the City, or the wastewater collection system of the City or any wastewater system tributary thereto, by any means available, including physical disconnection from the wastewater collection system, whenever the discharge reasonably appears to present an imminent endangerment to the health or welfare of the community;

2. Endangerment to the environment or the POTW. The Director, after written order to the user, may halt or prevent any discharge of pollutants into any natural waterway or surface

drainage within the City or any area under jurisdiction of the City, or the wastewater collection system of the City or any wastewater system tributary thereto, by any means available, including physical disconnection from the wastewater system, whenever such discharge presents or may present an imminent and substantial endangerment to the environment or threatens to damage or interfere with the operation of the City's POTW; and

3. The discharges referred to in subdivisions 1 and 2 above may be halted or prevented without regard to the compliance of the user with other provisions of this Chapter.

C. Regulatory Actions; Specific Powers of the Director. If wastewater containing any pollutant described in this Chapter is discharged or proposed to be discharged into any natural waterway or surface drainage within the City or any area under the jurisdiction of the City, or the wastewater collection system of the City or any wastewater system tributary thereto, the Director may take any action necessary to:

1. Prohibit the discharge of such wastewater;
2. Require the person discharging to demonstrate that in-plant modifications will reduce or eliminate the pollutant or substance so that the discharge will not violate this Chapter;
3. Require treatment, including storage facilities or flow equalization necessary to reduce or eliminate the pollutants or substance so that the discharge will not violate this Chapter;
4. Require the person making, causing or allowing the discharge to pay any required industrial user permit fees, inspection fees and any additional cost or expense incurred by the City for handling, treating or disposing of excess pollutant loads imposed on its POTW, including any fines, penalties or legal expenses including attorneys fees payable by City associated with alleged or actual violations of the NPDES Permit attributed to the person's discharge;
5. Obtain timely and factual reports from the person responsible for such discharge; and
6. Take such other or further remedial action as may be deemed to be desirable or necessary to achieve the purposes of this Chapter. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.205 Notice.

Except as otherwise expressly provided in this Chapter, any notice or order required or permitted to be given by City under this Chapter shall be deemed served if given to user as follows:

- A. Correctly addressed, postage pre-paid and deposited in the United States mail, or personally delivered;
- B. To user or user's authorized representative at user's address as listed in user's permit, or application for a permit, or user's facility that is subject of the notice or order; and
- C. Shall be deemed received on the date personally delivered or on the third day after deposit in the United States mail as provided in this Section. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.210 Confidentiality.

Any information submitted by the user to the City pursuant to this Chapter may be claimed as confidential by the user. Any such claim must be asserted at the time of submission by placing the words "Confidential Business Information" on each page containing such information. If no claim is made at the time of submission, the City may make the information available to the public without further notice. All sample data obtained by either the user or the City shall not be considered confidential. All production related information used to calculate mass based discharge limitations or required for the development of an industrial user permit shall not be considered confidential information. Confidential information may be made available, upon request, to governmental agencies for enforcement or judicial purposes related

to this Chapter, the NPDES Permit or the pretreatment program, and as required by state or federal law. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.215 Inspection.

A. The Director shall inspect the facilities of any user to ascertain whether all requirements of this Chapter are being met. Persons on the premises shall allow the Director ready access at all reasonable times to all parts of the premises for the purpose of inspection, sampling, and records examination.

B. The user shall ensure that there is always a person on site, during normal business hours, knowledgeable of the user's processes and activities to accompany the Director during the inspection.

C. The user shall provide immediate access when an emergency exists, regardless of the hour of the day.

D. All pretreatment equipment shall be immediately accessible at all times for the purpose of inspection. At no time shall any material, debris, obstacles or obstructions be placed in such a manner that will prevent immediate access to the pretreatment equipment.

E. No person shall interfere with, delay, resist or refuse entrance to the Director when attempting to inspect any facility involved directly or indirectly with a discharge of wastewater to the City's collection system, POTW or storm drain.

F. Where a user has security measures in force which would require proper identification and clearance before entry into the premises, the user shall make all necessary arrangements with the user's security personnel so that, upon presentation of suitable identification, personnel from the City will be permitted to enter, without delay, for the purpose of performing their specific responsibilities.

G. The user shall make available for copying by the Director, all records required to be kept under the provisions of this Chapter. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.220 Inspection warrants.

If the Director has been refused access to a building, structure, or property, or any part thereof, and is able to demonstrate cause to believe that there may be a violation of this Chapter, or that there is a need to inspect or sample the user's facilities as part of a routine inspection and sampling program of the City designed to verify compliance with this Chapter or any permit or order issued hereunder, or to protect the overall public health, safety and welfare of the community, then the Director may seek issuance of an inspection warrant duly issued pursuant to the procedure set forth in Title 13 (commencing with Section 1822.50) of Part 3 of the Code of Civil Procedure and amendments thereto. However, in the event of an emergency affecting the public health or safety, an inspection may be performed without consent or the issuance of a warrant. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.225 Monitoring.

A. At the direction of the Director, any user discharging industrial wastewater directly or indirectly into the City's collection system, may be required to install sampling station(s) or measuring device(s) to measure the quality and quantity of wastewater discharged. These measuring devices may include but are not limited to: flow meters and recorders, pH meters and recorders, electrical conductivity meters and recorders, and process water meters.

B. The sampling station and/or measuring device shall be provided by the user in compliance with this Chapter and all applicable building, plumbing, and construction codes. The City may require that the measuring devices have a security closure that can be locked with a

City lock during sampling and monitoring. Construction shall be completed within a reasonable time frame as required in written notification from the Director.

C. The Director shall have the right to install temporarily upon the user's property such devices as are necessary to conduct wastewater sampling, compliance monitoring or metering operations.

D. No user shall interfere with, delay, resist, or refuse entrance to authorized City personnel attempting to install wastewater monitoring equipment on the user's property. Any permanent or temporary obstruction of easy access to the sampling, station(s) or measuring devices shall be immediately removed by the user or property owner at the written or verbal request of the Director and shall not be replaced.

E. The sampling station or measuring devices shall be maintained for continuous sampling or metering. The measuring devices shall be calibrated as often as necessary to ensure accurate measurements according to manufacturer's specifications. All maintenance and calibration work shall be performed at the user's expense.

F. All users that are required to self-monitor shall have all samples collected and analyzed according to 40 CFR 403.12(b)(5) and amendments thereto.

G. All users that are required to self-monitor shall submit all records of sampling that include the following information and documents:

1. The date, exact place, method, and time of sampling and the names of the person or persons taking the samples;
2. The dates the analyses were performed;
3. Who performed the analyses;
4. The analytical techniques/methods used;
5. The results of such analyses;
6. A copy of the laboratory sample analysis sheet; and
7. The user's completed monitoring report form.

H. All users that are required to install and maintain measuring devices shall immediately report the failure of such devices. The immediate notification shall be accomplished by a telephone call, telefax transmission, personal visit, or a hand delivered notification, to the City's Industrial Waste Office. User shall submit to the Director, within five calendar days after discovery of such a device failure, a written report documenting the cause of the failure and the corrective actions taken.

I. Any wastewater samples taken from a user's approved or designated sampling location shall be considered representative of the wastewater discharged to the POTW. For users that have interceptors and no approved or designated sampling location, the last chamber of the interceptor shall be the designated sampling location.

J. All users that are required to self-monitor shall report pollutant violations in any required wastewater sample to the Director within twenty-four hours of becoming aware of the violation. The reporting may be accomplished by a telephone call, telefax transmission, or a personal visit to the City's Industrial Waste Office. The violation reporting shall contain the date and time of the wastewater sample, the discharge flow for the sample, a possible explanation for the violation(s), and the date scheduled for the required resample. Failure to report pollutant violations as stated shall constitute a violation of this Chapter and may subject the user to enforcement actions.

K. All users required in their industrial user permit to take daily twenty-four hour readings of their wastewater effluent flow shall notify Director of exceedance of its permitted flow within twenty-four hours of discovering the exceedance. The user shall make such notification by telephone call, telefax transmission, personal visit, or a hand delivered notification, to the City's Industrial Waste Office. The flow exceedance notice shall have the total flow, date of the violation, the reason for the flow exceedance, and the name of the person

reporting the flow exceedance. It is unlawful to fail to report such flow exceedance and may subject the user to enforcement actions.

L. All users that have pollutant violations shall resample their wastewater discharge for the pollutant in violation. This resampling is required and is separate and independent of any wastewater sampling performed by the City. All resamples shall be obtained and analyzed according to 40 CFR 403.12(b)(5) and amendments thereto. A laboratory certified by the State of California, Department of Health Services, as being competent to perform the pollutant analyses requested, shall perform all laboratory analyses. User shall submit the laboratory results from the resamples and all required forms to the Director no later than thirty days after the user discovers or becomes aware of the violation. Failure to submit the laboratory results within the thirty-day requirement shall result in Significant Noncompliance (SNC) for the user and the issuance of a Notice of Violation to the user.

M. All users whose wastewater discharge is monitored by the City, shall be responsible for all resampling requirements contained in Subsection L. of this Section when a pollutant violation is detected. The City shall notify the user of the resampling requirements by a telephone call, telefax transmission, or personal visit within seventy-two hours of confirming a pollutant violation.

N. All users which desire to conduct their own wastewater sampling shall submit a written plan describing the equipment used, equipment cleaning methodology, employee training, sample preservation methods, and chain of custody procedures. The user's wastewater sampling plan shall be approved by the Director prior to the implementation of the plan. Any sample taken by a user without an approved plan or from an unapproved laboratory shall not be valid and may subject the user to enforcement actions.

O. All permitted users that take more than one grab sample in a twenty-four hour period to demonstrate compliance with oil and grease shall comply with the following conditions:

1. No single oil and grease grab sample shall exceed the user's permitted limit for oil and grease by more than forty percent; and
2. The average result from all individual oil and grease grab samples taken in a twenty-four hour period shall not exceed the user's permitted limit for oil and grease. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.230 Recordkeeping.

All users shall keep records of waste hauling, reclamations, wastewater pretreatment, monitoring device recording charts and calibration reports, effluent flow, and sample analysis data, on the site of the wastewater generation. All these records are subject to inspection by Director and shall be copied as needed. All records must be kept on the site of wastewater generation for a minimum period of three years. The record retention period may be extended beyond three years in the event criminal or civil action is taken or an extensive user history is required. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.235 Flow measurement.

Any industrial user who discharges twenty-five thousand gallons per day or more of industrial wastewater, or as required by the Director, shall install a continuous monitoring flow meter capable of measuring all the industrial user's industrial wastewater discharged to the City's collection system. The user shall maintain an effluent flow log sheet and record the effluent flow on a daily basis. The flow measurement device shall conform to standards issued by the Director. The user shall report to the Director the type and size of the flow meter. The flow meter shall be equipped with a non-resetting flow totalizer. All flow meters shall be calibrated as often as necessary to ensure accuracy of the actual flow discharged within plus or minus five percent. All flow meter installations shall have posted in a conspicuous place, the

flow meter's size, type, totalizer units, and flow multipliers. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.240 Infectious waste disposal.

A. No user that generates liquid infectious waste not associated with those found in domestic wastewater shall discharge such waste to the City's collection system without first obtaining written permission from the Director. Such a user shall submit a written request to the Director that shall include:

1. The source and volume of the infectious waste;
2. The procedures and equipment used for waste disinfection; and
3. Employee training procedures for the legal disposal of infectious waste.

B. If the Director believes that the waste would not be completely disinfected, the Director shall issue a written denial to the user and state the reasons for the denial. This denial shall be issued within thirty days from receipt of the written request.

C. If the Director believes that complete disinfection of the waste can be achieved prior to discharge of the waste to the collection system, then conditional approval may be granted for the disposal of the waste. A letter of approval shall be sent to the user within thirty days of receipt of the written request.

D. If the user is granted permission for disposal, the user:

1. Shall completely disinfect the liquid waste prior to discharge to the City System as outlined in the approval letter;
2. Shall not dispose of solid infectious waste to the City's collection system, including hypodermic needles, syringes, instruments, utensils or other paper and plastic items of a disposable nature, or recognizable portions of the human or animal anatomy; and
3. Shall be subject to periodic inspections to verify that all disinfection methods, procedures, and practices are being performed. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.245 Water softening restrictions.

A. No industrial user shall install, replace, enlarge, or use any apparatus for softening all or any part of the water supply to any premises when such apparatus is an ion-exchange softener or demineralizer of the type that is regenerated at the site of use with the regeneration wastes being discharged to the ground, storm drain or the City's collection system or POTW unless the apparatus is in compliance with the following conditions:

1. The apparatus is a self-generating water softener;
2. The brine solutions generated during the backwash cycles of the water softener shall be segregated from the fresh water rinses for disposal to a legal brine disposal site;
3. The backwash equipment shall be equipped with an electrical conductivity controlled discharge valve that controls the final wastewater discharge to the City's collection system. This valve shall be calibrated to control and prevent any wastewater from being discharged to the collection system that exceeds the maximum total dissolved solids concentration established by resolution; and
4. The industrial user shall maintain the electrical conductivity controlled discharge valve in proper operating conditions at all times. The industrial user shall notify the Director immediately in the event of a valve failure and immediately cease the discharge of all wastewater associated with the back washing of the regenerating water softener.

B. Pursuant to California Health and Safety Code Sections 116775-116795 and amendments thereto, no residential water softening or conditioning appliance shall be installed except in either of the following circumstances:

1. The regeneration of the appliance is performed at a nonresidential facility separate from the location of the residence where such appliance is used; or

2. The regeneration of the appliance discharges to the waste disposal system of the residence where such appliance is used and the following conditions are satisfied:

a. The appliance activates regeneration by demand control;

b. An appliance installed on or after January 1, 2000, shall be certified by a third party rating organization using industry standards to have a salt efficiency rating of no less than three thousand three hundred fifty grains of hardness removed per pound of salt used in generation. An appliance installed on or after January 1, 2002 shall be certified by a third party rating organization using industry standards to have a salt efficiency rating of no less than four thousand grains of hardness removed per pound of salt used in generation;

c. The installation of the appliance is accompanied by the simultaneous installation of the following softened or conditioned water conservation devices on all fixtures using softened or conditioned water, unless such devices are already in place or are prohibited by local and state plumbing and building standards or unless such devices will adversely restrict the normal operation of such fixtures:

i. Faucet flow restrictors.

ii. Shower head restrictors.

iii. Toilet reservoir dams.

iv. A piping system installed so that untreated (unsoftened or unconditioned) supply water is carried to hose bibs and sill cocks which serve water to the outside of the house, except that bypass valves may be installed on homes with slab foundations constructed prior to the date of installation; or condominiums constructed prior to the date of installation; or otherwise where a piping system is physically inhibited.

C. The certification required under Subsection B of this Section shall be provided by the new user of the appliance and shall be completed by a contractor having a valid Class C-55 water conditioning contractor's license or Class C-36 plumbing contractor's license and filed with the City's Building Division. The certification form shall contain all of the following information:

1. Name and address of homeowner;

2. Manufacturer of the water softening or conditioning appliance, model number of the appliance, pounds of salt used per regeneration, and salt efficiency rating at the time of certification.

3. Manufacturer of the water-saving devices installed, model number, and number installed; and

4. Name, address, and the specialty contractor's license number of the C-55 and C-36 licensee making the certification.

D. Any person installing or operating a water conditioning apparatus of any kind shall make such apparatus accessible to the Director for inspection at reasonable times.

E. Notwithstanding Subdivision 2 of Subsection B. of this Section, City may limit the availability, or prohibit the installation, of residential water softening or conditioning appliances that discharge to the POTW if Director makes all of the following findings:

1. The POTW is not in compliance with the discharge or water reclamation requirements in its NPDES permit;

2. Limiting the availability, or prohibiting the installation, of the appliances is the only available means of achieving compliance with waste discharge requirements issued by the Regional Board; and

3. All nonresidential sources are limited to the volumes and concentrations of saline discharges to the POTW to the extent technologically and economically feasible.

F. Notwithstanding Subdivision 2 of Subsection B. of this Section, City may limit the availability, or prohibit the installation, of residential water softening or conditioning appliances that discharge to the POTW if Director makes all of the following findings:

1. The POTW is not in compliance with water reclamation requirements, or a master reclamation permit, issued by the California Regional Water Quality Control Board pursuant to Article 4 (commencing with Section 13520) of Chapter 7 of Division 7 of the Water Code;

2. Limiting the availability, or prohibiting the installation, of the appliances is the only available means of achieving compliance with the water reclamation requirements or the master reclamation permit issued by the Regional Board; and

3. All nonresidential sources are limited to the volumes and concentrations of saline discharges to the POTW to the extent technologically and economically feasible.

G. Subsections E and F of this Section are prospective in nature and do not require the removal of residential water softening or conditioning appliances that are installed before the effective date of subsections E. and F.

H. Subsections E. and F. of this Section shall become operative on January 1, 2003. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.250 Gravity separation interceptor.

No user that operates or maintains a facility for the servicing or repair of roadway machinery, industrial transportation equipment, motor vehicles, public or private transportation vehicles, and any other facility as required by the Director, shall discharge wastewater to City's collection system without a gravity separation interceptor that complies with all of the requirements of Sections 14.12.250 through 14.12.265. Domestic wastewater shall not be allowed to pass through the interceptor. The Director shall determine the interceptor's operational fluid capacity. The interceptor shall have a minimum operational fluid capacity of not less than one hundred gallons and shall be designed to retain any material that will float or any material that will settle. The interceptor shall be watertight, structurally sound, durable and shall have a minimum of two chambers with a separate ring and cover for each chamber and any additional covers to insure adequate cleaning capabilities. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.255 Interceptor requirements.

All users required to install a gravity separation interceptor shall comply with the following conditions:

A. All interceptor chambers shall be immediately accessible at all times for the purpose of inspection, sampling, cleaning, and maintenance. The user shall provide a separate ring and cover for each separate interceptor chamber and any additional covers to insure adequate cleaning capabilities. All rings shall be affixed to the interceptor to insure a gas and watertight seal. At no time shall any material, debris, obstacles or other obstructions be placed in such a manner that will prevent immediate access to the interceptor.

B. Any interceptor legally and properly installed before the effective date of this Chapter shall be acceptable as an alternative to the interceptor requirements of this Chapter. The interceptor shall be effective in removing floatable and settleable material and shall be immediately accessible for inspection, sampling, cleaning, and maintenance.

C. All drains and openings connected to an approved gravity separation interceptor shall be equipped with screens or devices which will exclude from the wastewater discharge all material and particles with a cubic dimension greater than three-eighths of an inch.

D. All gravity separation interceptors shall be equipped with an influent tee extending no more than six inches below the operating fluid level of the interceptor. The interceptor shall also have tees extending to within twelve inches of the bottom at the exit side of each chamber in the interceptor, including the final chamber. In a case where a manufacturer's engineered interceptor design is contrary to this requirement, the Director shall review the design and either approve or deny an exemption to this requirement.

E. All interceptors shall be equipped with a sample box or sample wye as determined by the Director.

F. No user shall install or use any elbows or tees in any interceptor sample box.

G. No user shall install any interceptor, sample box, or sample wye in a confined space or a permit-required confined space.

H. If the Director finds, either by engineering knowledge or by observation, that an interceptor is incapable of adequately retaining floatable and settleable material in the wastewater flow, is structurally inadequate, or is undersized for the facility, the Director shall reject such interceptor and declare that the interceptor does not meet the requirements of this Section. The user shall thereupon be required to install, at the user's expense, an interceptor that is acceptable to the Director. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.260 Standard interceptor designs.

The Director shall maintain a file, available to the public, of suitable designs of gravity separation interceptors. This file shall be for informational purposes only and shall not provide or imply any endorsements of any kind. Installation of an interceptor of a design shown in this file, or of any design meeting the size requirements set forth in this Chapter shall not subject the City to any liability for the adequacy of the interceptor under actual conditions of use. The user and property owner shall not be relieved of the responsibility for keeping floatable and settleable material out of the City's collection system. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.265 Interceptor maintenance.

A. Any person who owns or operates a gravity separation interceptor shall properly maintain the interceptor at all times. The interceptor shall be cleaned as often as necessary to ensure that sediment and floating materials do not accumulate to impair the efficiency of the interceptor and odors do not accumulate which would cause a public nuisance. An interceptor is not considered to be properly maintained, if for any reason the interceptor is not in good working condition or if the operational fluid capacity has been reduced by more than twenty-five percent by the accumulation of floating material, sediment, oil or grease.

B. The use of chemicals or other materials for the emulsification, suspension, or dissolution of oil and grease is prohibited.

C. No user shall use any microbiological product in a grease interceptor that was not specifically designed to use such microbiological agents to metabolize fats, oils, and greases.

D. When an interceptor is cleaned, the removed sediment, liquid and floating material shall be lawfully disposed of other than to the City's collection system, POTW or storm drain and shall not be reintroduced into the interceptor or discharged into another interceptor at another location not designed and permitted to accept such waste.

E. If the interceptor is not maintained adequately under the conditions of use, then the interceptor shall be resized and the user shall install one that is effective in accomplishing the intended purpose.

F. The owner and lessee, sub-lessee, proprietor, operator and superintendent of any facility, required to install an interceptor, are individually and severally liable for any failure to properly maintain such interceptor. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.270 Restaurants.

A. No person who owns, operates, or maintains a restaurant (restaurant user) shall discharge wastewater from such restaurant to City's collection system or POTW without first receiving a written determination from Director, and complying with such determination, of City's grease interceptor requirement. Such restaurant users shall complete and submit a City

Wastewater Discharge Survey Form to the Director for review of grease interceptor requirements. Within ten business days of receipt of the Wastewater Discharge Survey Form, Director shall notify such restaurant user of Director's determination whether installation of a grease interceptor is required prior to such restaurant user's discharge into City's collection system or POTW. It is unlawful for any restaurant user notified by the Director of City's requirement of a grease interceptor to discharge restaurant wastewater into City's collection system or POTW without use of such grease interceptor in accordance with this Chapter.

B. The Director shall calculate the size of the grease interceptor to be used by a restaurant, in accordance with the Uniform Plumbing Code, Appendix H, as adopted by the City, provided that any restaurant determined to require a grease interceptor of more than one hundred gallons and less than seven hundred fifty gallons shall install a minimum seven hundred fifty gallon grease interceptor. Director's determination shall be based upon the type of restaurant, the condition of the collection system serving the restaurant, and the possible adverse affects caused by the restaurant's wastewater discharge.

C. Any restaurant user required to install a grease interceptor shall direct all wastewater and waste from floor drains, floor sinks, sinks, waste container wash racks, dishwashers, and garbage grinders through an approved minimum size seven hundred fifty gallon gravity separation interceptor which complies with Section 14.12.255 of this Chapter. Such restaurant user shall keep all domestic wastewater from restrooms, showers, drinking fountains, and condensate (i.e., ice melt, air conditioning condensate) separate from the restaurant wastewater until the restaurant wastewater has passed through all necessary grease interceptors, pretreatment equipment, devices, or monitoring stations.

D. Any restaurant user required to install a grease interceptor shall maintain such interceptor in accordance with Section 14.12.265. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.275 Prohibited restaurant surface discharges.

A. No restaurant user shall at any time discharge any wastewater to the storm drain, service dock areas, or ground. Wastewater generated by restaurants shall be disposed of to a sanitary sewer through an approved gravity separation interceptor, or a sample station connected to a sanitary sewer, or hauled off-site and disposed at a legal disposal site.

B. If a restaurant has a blocked sewer lateral or failed sewage pumping device which causes the discharge of wastewater to the storm drain, service dock areas, or ground, the restaurant user shall immediately cease all wastewater generating activities that result in wastewater being discharged to the storm drain, service dock areas, or ground. Failure to comply with this requirement shall be considered a violation of this Chapter and shall subject the restaurant user to enforcement actions. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.280 Conditional waivers.

Notwithstanding subsection B of Section 14.12.270, at the discretion of the Director, the Director may conditionally waive the grease interceptor requirement for any restaurant user determined by the Director not to have adverse effects on the City's collection system or POTW. Director may revoke such conditional waiver for the following reasons:

- A. Changes in menu;
- B. Falsification of information submitted in the City's wastewater discharge survey form;
- C. Changes in operating hours;
- D. Changes in maximum seating capacity;
- E. Changes in maximum meals served per peak hour;
- F. Changes in equipment used;

G. Changes in the nature of the wastewater discharged as determined by random and scheduled wastewater sampling and analyses; or

H. Sanitary sewer overflows (SSOs) caused by the restaurant user's wastewater discharge. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.285 Liquid waste haulers.

A. It is unlawful for any liquid waste hauler to discharge to the City's designated disposal site without a current City liquid waste hauler's permit, a current City business license, and a current Riverside County Department of Environmental Health liquid waste hauler permit and decal, or to otherwise fail to comply with the provisions of this Chapter.

B. No person shall violate any term or condition of a City liquid waste hauler permit. Liquid waste hauler permit conditions may include, but are not limited to, the following:

1. Liquid waste hauler's obligation to comply with all permit terms and conditions;
2. Liquid waste hauler's obligation to comply with the terms of this Chapter;
3. Liquid waste hauler's obligation to comply with the Riverside County Health Department's applicable rules and regulations regarding cleanliness and sanitary conditions;
4. Restrictions on operating hours for City's designated disposal site;
5. The revocation, suspension, or placement on probation of the permit and imposition of other enforcement actions against the liquid waste hauler for violation of the permit terms or conditions, or of this Chapter;
6. Liquid waste hauler record keeping and reporting requirements;
7. Liquid waste hauler obligation to notify the Director immediately of any unusual circumstances observed during liquid waste pumping operations; and
8. Other conditions, limitations or prohibitions deemed appropriate by the Director.

C. City's POTW is the only designated disposal site for liquid waste haulers with City liquid waste hauler permits.

D. No person shall be issued a City liquid waste hauler permit without first:

1. Paying all applicable liquid waste hauler permit fees, established by resolution of the City Council; and
2. Completing and submitting to City an application for a City liquid waste hauler permit signed under penalty of perjury certifying that the following information provided by liquid waste hauler is true and correct:
 - A. Name, address, and phone number of the liquid waste hauler;
 - b. Number of vehicles (vehicles include trucks, tankers and trailers), gallon capacity, license plate number, registered owner's name, and make and model, of each vehicle operated by the liquid waste hauler for the purpose of hauling liquid wastes;
 - c. Name of the liquid waste hauler's authorized representative;
 - d. Name and policy number of the liquid waste hauler's insurance carrier and bonding company, if applicable;
 - e. The number of the current permit issued to the liquid waste hauler by the Riverside County Department of Environmental Health for transportation and disposal of liquid wastes; and
 - f. Such other information as may be required by the Director.

E. City issued liquid waste hauler permits shall be valid for one to three years, and the Director may impose additional, or modify or delete permit terms and conditions at any time during the duration of the permit.

F. Liquid wastes disposed at the City's designated disposal site shall be subject to inspection, sampling and analysis to determine compliance with all applicable provisions of this Chapter by authorized personnel of the Public Works Department who shall perform or supervise such inspection, sampling and analysis at any time during the delivery of the liquid

waste, including prior to the discharge of the liquid waste by the liquid waste hauler to the City's designated disposal site. If City finds the wastes do not comply with this Chapter, the liquid waste hauler shall pay City for all of City's costs associated with such inspection, sampling, and analysis, and any other fees, charges or penalties assessed by the Director.

G. No liquid waste hauler shall discharge or cause to be discharged into City's designated disposal site any material defined as hazardous by RCRA.

H. If City determines the wastes hauled by the liquid waste hauler to be or contain hazardous substances, then the liquid waste hauler shall remain at the City's designated disposal site with the hazardous substances load until such time as the liquid waste hauler transfers such hazardous substances at the designated disposal site to a waste hauler lawfully authorized to transport and dispose of such hazardous substances. The Director shall notify the appropriate law enforcement agency of all violations of this Subsection H.

I. All liquid waste manifest forms shall be completed in full and signed by the liquid waste hauler, and signed by the Director, before any load is discharged into the City's designated disposal site.

J. Any liquid waste hauler providing false information to City in any permit application, hauler's report or manifest, or correspondence shall be in violation of this Chapter.

K. All reports and records required to be retained by this Chapter shall be retained by all liquid waste haulers for a minimum of three years and shall make such reports and records immediately available to City upon the Director's request

L. A liquid waste hauler shall timely pay all fees, charges and penalties imposed by the Director pursuant to this Chapter.

M. Only liquid wastes from septic tanks, seepage pits, cesspools, or any other similar receptacles, that contain no industrial waste, shall be disposed of at the City's designated disposal site.

N. Any liquid waste hauler that hauls both industrial wastes and domestic wastes shall remove all industrial waste contamination from the interior of the vacuum tank prior to loading any domestic wastes into such tank.

O. Liquid waste haulers are prohibited from discharging industrial waste into the POTW or City's collection system or the collection system of a Community Services District. No liquid waste hauler shall mix industrial waste and domestic septic wastes in an attempt to discharge the mixture to the City's designated disposal site.

P. Any liquid waste hauler seeking to discharge hauled wastes to City's designated disposal site shall first certify under penalty of perjury as to the origin of the wastes hauled and shall provide documentation as to the origin. Origin of the wastes hauled means the address of the location from which the liquid waste hauler first obtained such wastes.

Q. If the wastes hauled by a liquid waste hauler are found unacceptable for discharge into the POTW, the liquid waste hauler shall dispose of the wastes at a legal disposal site. The liquid waste hauler shall provide the City with a true and correct copy of the waste hauler's manifest documenting the legal disposal of the rejected wastes within fourteen calendar days from the date the wastes were rejected by City.

R. No liquid waste hauler shall mix or dilute any rejected load in order to achieve compliance with this Chapter.

S. No liquid waste hauler shall dispose of any rejected load into any septic tank, cesspool, seepage pit or similar devices, any grease interceptor or trap, any storm drain, or any collection system opening except those authorized in writing by the Director.

T. The Director may deny the issuance of a liquid waste hauler permit for any of the following reasons:

1. The applicant knowingly falsified information on the application or any document required by the application;

2. The applicant's previous liquid waste hauler permit was suspended or otherwise revoked and the condition upon which such action was taken still exists; or

3. The applicant is not current on all disposal and permit-related reports and charges.

U. In the event a liquid waste hauler permit application is denied, the Director shall notify the applicant in writing of such denial and the appeal procedures. Such notification shall state the grounds for such denial and necessary actions that must be taken by the applicant prior to the issuance of a permit.

V. All liquid waste hauler permits issued to any person may be revoked, suspended or placed on probation up to one year upon a finding by the Director that any of the following facts exist:

1. Such person or representative thereof failed to display the authorization document upon request by an authorized representative or employee of the Public Works Department;

2. Such person or representative thereof has changed, altered or otherwise modified the face of a permit or authorization document without the permission of the Director;

3. Such person or representative thereof has violated any term or condition of the permit;

4. Such person or representative thereof has falsified any application, record, report or monitoring results required to be maintained, has failed to make them immediately available to the Director upon request, or has withheld required information;

5. Such person or representative thereof failed to halt immediately the discharge from his or her truck into the designated disposal facilities of the City upon the order of any authorized Public Works Department employee;

6. Such person or representative thereof discharged or attempted to discharge hazardous substances into the designated disposal site;

7. Such person or representative thereof failed to comply with the terms of subsection H of this Section;

8. Such person or representative thereof discharged or attempted to discharge industrial waste into the designated disposal site;

9. Such person or representative thereof has repeatedly filed documents with falsified or incorrect information;

10. Such person or representative thereof has discharged or attempted to discharge waste to City's designated disposal site, that has been previously rejected by another regulatory agency, municipality, or entity having authority to grant permission for the disposal of the waste, and has failed to notify the Director of the rejected status of the waste;

11. Such person or representative thereof has done physical violence or harm to any City employee; or

12. Such person or representative thereof has made threatening remarks or threatening acts toward any City employee.

W. Any liquid waste hauler permit which has been revoked, suspended or placed on probation pursuant to this Section may be reinstated upon a finding by the Director that the condition which resulted in such revocation, suspension or probation no longer exists.

X. Upon Director's determination of a violation of this Chapter, the liquid waste hauler shall be subject to the enforcement actions set forth in this Section and Part IV of this Chapter, and to such enforcement actions contained in the liquid waste hauler permit as necessary to protect the POTW, the public, the environment or City employees.

Y. Any authorized Public Works Department employee shall have the authority to order the immediate cessation of the discharge from any liquid waste hauler vehicle into the City's designated disposal site. Such order shall be based on the employee's best professional judgment that said discharge may be in violation of any applicable condition of this Chapter or may otherwise harm or threaten to harm the operation of the POTW, City's employees, the public or the environment.

Z. Liquid waste hauler permits are personal to the person to whom the permit is issued and any attempted transfer of a permit is void. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.290 Use of and damage to City equipment or facilities.

A. No person shall enter, break, damage, destroy, uncover, deface or tamper with any temporary or permanent structure, equipment, or appurtenance which is part of the City's collection system, POTW, or storm drain without prior written approval by the Director.

B. Any person who discharges or causes the discharge of any wastewater or pollutant which causes detrimental effects on the City's collection system, POTW, sludge, or storm drain, or any other damages, including the imposition of fines by state, federal or other regulatory agencies against the City, shall be liable to the City for all damages and costs incurred by City, including administrative expenses, and fines imposed on City by any state, federal or other regulatory agencies. City shall calculate its administrative expenses as ninety percent of the cost of repairs and personnel time expended by City to remedy such damages and costs. All charges shall be payable to the City within thirty days of invoicing by the City. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.295 Surface discharge prohibitions.

A. No person or user shall discharge or cause to be discharged onto the ground, into any permeable sump, pit, or well, into any storm drain, or to any surface, pipe or waterway leading to a storm drain, whether currently carrying water or not, any pollutant or wastewater which will:

1. Impair the useful function of the storm drain;
2. Cause undue storm drain maintenance expense to the City or other public agency;
3. Cause a public nuisance or public hazard;
4. Cause detrimental pollution of natural surface or subsurface waters; or
5. Violate any regulation, order, or requirement of the Regional Board, including all NPDES Non-Point Source (Storm Water) Permit Requirements.

B. Any person or user who discharges or causes a discharge in violation of Subsection A of this Section, shall be liable to the City for all damages and costs incurred by City including administrative expenses, and fines imposed on City by any state, federal or other regulatory agencies. City shall calculate its administrative expenses as ninety percent of the cost of repairs and personnel time expended by City to remedy such damages and costs. All charges shall be payable to the City within thirty days of invoicing by the City.

C. Any person or user who has violated Subsection A of this Section shall submit a written report of the incident within five business days to the Director. The written report shall include a description of the circumstances causing the discharge, the quantity and qualities of the pollutant discharged, the methods of cleanup and disposal, and the corrective measures taken to prevent a reoccurrence. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.300 Point of discharge limitation.

No person or user, shall discharge any wastewater directly into a City manhole or other opening in the City's collection system other than through an approved building sewer connection, unless written permission for the discharge has been granted by the Director. This prohibition shall not apply to authorized City personnel involved with the maintenance, cleaning, repair, or inspection of the City's collection system. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.305 Time limits.

Any time limit provided in any written notice or any provision of this Chapter may be extended only by a written directive of the Director and upon a showing of good cause from the user. (Ord. 6637 § 2 (part), 2002; § 2 Ord. 6232 § 2 (part), 1995)

Section 14.12.309A III. Industrial Waste**Section 14.12.310 Separation of domestic and industrial waste.**

Any user who discharges industrial wastewater to the City's collection system shall keep domestic wastewater separate from all industrial wastewater until the industrial wastewater has passed through all required pretreatment equipment or devices, or the user's industrial wastewater sample point(s). For existing Categorical Users which cannot separate the domestic wastes from the industrial wastes prior to a permitted sampling point, the combined waste stream formula shall be applied to determine applicable discharge limitations. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.315 Prohibited waste discharges.

Except as hereinafter provided, no person or user shall discharge or cause to be discharged into the POTW, the collection system of the City or a Community Services District, or any opening, sump, tank, clarifier, piping or waste treatment system which drains or flows into the POTW or the collection system of the City or a Community Services District any of the following:

A. Any earth, sand, rocks, ashes, cinders, spent lime, stone, stone cutting dust, gravel, plaster, concrete, glass, metal filings, or metal or plastic objects, garbage, grease, viscera, paunch manure, bones, hair, hides, or fleshings, whole blood, feathers, straw, shavings, grass clippings, rags, spent grains, spent hops, waste paper, wood, plastic, tar, asphalt residues, residues from refining or processing fuel or lubrication oil and similar substances, or solid, semi-solid or viscous material in quantities or volume which will obstruct the flow of sewage in the collection system or any object which will cause clogging of a sewer or sewage lift pump, or interfere with the normal operation of the POTW.

B. Any compound which will produce noxious odors in the sewer or wastewater treatment facilities.

C. Any recognizable portions of human or animal anatomy.

D. Any solids, liquids, gases, devices, or explosives which by their very nature or quantity are or may be, sufficient either alone or by interaction with other substances or sewage to cause fire or explosion hazards, exceed ten percent of the LEL at the point of discharge or in the collection system, or in any other way create imminent danger to the City's wastewater personnel or POTW, the environment or public health.

E. Any wastewater or material with a closed cup flash point of less than one hundred forty degrees Fahrenheit or sixty degrees Celsius using the test methods specified in 40 CFR 261.21 and amendments thereto.

F. Any overflow from a septic tank, facility wastewater holding tank, cesspool or seepage pit, or any liquid or sludge pumped from a septic tank, facility wastewater holding tank, cesspool or seepage pit, except as may be permitted by the Director.

G. Any discharge from the wastewater holding tank of a recreational vehicle, trailer, bus and other vehicle, except as may be permitted by the Director.

H. Any storm water, groundwater, street drainage, subsurface drainage, yard drainage or runoff from any field, roof, yard, driveway or street. The Director may approve, on a temporary basis, the discharge of such water only when no reasonable alternative method of discharge is available.

I. Any substance or heat in amounts that will inhibit biological activity in the City's POTW resulting in interference or which will cause the temperature of the sewage in any public sewer to be higher than one hundred forty degrees Fahrenheit. In no case shall any substance or heat be discharged to the sewer that will raise the POTW influent higher than one hundred four degrees Fahrenheit (forty degrees Celsius).

J. Any radioactive waste in excess of federal, state or county regulations.

K. Any material or quantity of material which will cause:

1. Damage to any part of the collection system;
2. Abnormal maintenance of the collection system;
3. An increase in the operational costs of the collection system;
4. A nuisance or menace to public health;

5. Interference or pass through in the POTW, its treatment processes, operations, sludge processes, use or disposal; or

6. A violation of the NPDES permit.

L. Any quantities of herbicides, algacides, or pesticides.

M. Any petroleum oil, non-biodegradable cutting oil, or products of mineral oil origin in excess of City's local limits.

N. Any material or quantity of material(s) which will cause abnormal sulfide generation.

O. Any water or wastewater used to artificially raise the industrial user's discharge rate or added for the purpose of diluting wastes that would otherwise exceed applicable permitted discharge limitations.

P. Any wastewater having a corrosive property capable of causing damage to the City's collection system, POTW, equipment, or structures, or harm to City personnel. However, in no case shall wastewater be discharged to the City's collection system or POTW with a pH below 5.0, or greater than 11.5, or which will change the influent pH of the POTW to above 8.0 or below 6.5.

Q. Any substance that will cause discoloration of the POTW's effluent.

R. Any unpolluted water, including cooling water, heating water, storm water, subsurface water, single pass cooling water, and single pass heating water. The Director may approve, on a temporary basis, the discharge of such water only when no reasonable alternative method of discharge is available. The user shall pay all applicable user charges and fees.

S. Any substance which may cause the POTW's effluent or any other product such as residues, sludge, or scums to be unsuitable for reclamation or reuse or which will interfere with any of the reclamation processes. This includes any material which will cause the sludge at the POTW to violate applicable sludge use or disposal regulations developed under the Federal Clean Water Act, 33 USCA, Section 1251 et seq., or any regulations affecting sludge use or disposal developed pursuant to the Solid Waste Disposal Act, 42 USCA, Section 6901, et seq.; Clean Air Act, 42 USCA, Section 7401, et seq.; Toxic Substance Control Act, 15 USCA, Section 2601, et seq., or any other applicable state regulations, and amendments to these Acts or regulations.

T. Any hazardous substance which violates the objectives of the General Pretreatment Regulations (40 CFR 403), this Chapter, or any statute, rule, regulation or chapter of any public agency having jurisdiction over said discharge, and amendments thereto.

U. Any material in excess of the quantities established by resolution.

V. Any discharge from a material processing tank or vessel. These shall include, but not be limited to, all wash tanks, chemical conversion tanks, acid and alkali tanks, lubricating tanks, condensate water from dry cleaning equipment, fruit and vegetable wash and treatment tanks, and any other tank or vessel containing a material which would not meet the pollutant discharge limitations as established by resolution.

W. Any radiator fluid or coolant, cutting oil, water soluble cutting oil, or water-based solvent.

X. Any photo processing waste from developing or fixing solutions that are not in compliance with local limits or group industrial user permits. (Ord. 6637 § 2, 2002; Ord. 6398 § 2 (part), 1997; Ord. 6232 § 2 (part), 1995)

Section 14.12.320 Swimming pool discharge requirements.

A. Discharges from swimming pools, wading pools, spas, whirlpools, and therapeutic pools shall be admitted to the City's collection system on a case-by-case basis. Each user or person who desires to drain a swimming pool, wading pool, spa, whirlpool, or therapeutic pool to the City's collection system shall first obtain permission from the City prior to discharging any of these waters. Permission shall be granted by the Director if the discharge will not cause a hydraulic overload condition in the area's sewer lines. If the user has no connection to the City's collection system available, these waters may be surface discharged providing the following conditions are met:

1. The chlorine residual in the water shall be less than 0.1 mg/L;
2. The discharge of the water shall in no way create a public nuisance;
3. The discharge of the water shall in no way damage, destroy, erode, or impair surrounding property;
4. The discharge of the water shall in no way violate any regulation of the Regional Board; and
5. The user has obtained permission from the Director for the discharge.

B. Under no circumstances shall wastewater generated by the acid cleaning or chlorine washing of swimming pools, wading pools, spas, whirlpools, and therapeutic pools be discharged to the storm drain. Such wastewater must be pH neutralized between 5.0 and -11.5 and discharged to the collection system. In the event a sewer connection is not available, such wastewater must be neutralized and disposed at a legal disposal site. The owner of the swimming pool, wading pool, spa, whirlpool, or therapeutic pool will be required to provide proof of disposal upon City's request. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.325 Limitation on wastewater strength.

No person shall discharge industrial wastewater to the City's collection system unless the wastewater conforms to all of the limitations and requirements of this Chapter. Discharge limitations shall be revised and adopted by resolution of the City Council as necessary to ensure compliance of the POTW's effluent and biosolids reuse with the NPDES Permit. For Categorical Users, the City may exercise one or more of the following options:

A. Where a categorical pretreatment standard is expressed in terms of either the mass or the concentration of a pollutant in wastewater, the Director may impose equivalent concentration or mass limits in accordance with 40 CFR 403.6(c) and amendments thereto;

B. When wastewater subject to a categorical pretreatment standard is mixed with wastewater not regulated by the same standard, the Director shall impose an alternate limit using the combined wastestream formula; and

C. A variance from a categorical pretreatment standard may be issued if the user can prove, pursuant to the procedural and substantive provisions in 40 CFR 403.13 and amendments thereto, that factors relating to its discharge are fundamentally different from the factors considered by the EPA when developing the categorical pretreatment standard. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.330 Local limits.

The Director shall develop and implement local limits from time to time as are necessary

and as are adopted by resolution of the City Council. These limitations are necessary to assure compliance with the NPDES permit, including the prohibition against pass through of any pollutants that cause a violation of the permit or cause interference with the POTW. The pollutant limitations may be allocated among industrial user classes or individual users as uniform concentration limits, or as the ratio of the total mass per user, or as a selected industry reduction, or by such other method considering factors such as persistence of the pollutant, equity, treatment feasibility, economic feasibility, economies of scale, pollution prevention, waste minimization measures, anticipated growth and enforcement feasibility. Customer specific allocations at current POTW loadings may be created for public health facilities providing a life saving service or procedure so long as the pollutant discharged will not contribute to pass through, interference or other violation of the NPDES permit. Specific pollutant limits shall not be developed and enforced without individual notice to persons or groups who have requested such notice and an opportunity to respond. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.335 De Minimus categorization.

Any user whose industrial wastewater discharge is less than one hundred gallons per day and is not regulated by a federal categorical pretreatment standard may be classified in the Director's discretion as de minimus and shall not be subject to permitting standards or local limits provided that such industrial wastewater discharge is not a hazardous substance, does not contribute to interference or pass through violations at the POTW or violations of the NPDES permit, and does not cause detrimental effects or damage to the City's collection system or POTW, or cause a threat of harm to City personnel, the public, or the environment. Categorization as a de minimus discharger shall terminate upon written notice to such discharger of Director's determination that such discharger no longer satisfies the criteria of this Section. (Ord. 6637 2 (part), 2002)

Section 14.12.340 Pretreatment of industrial wastewater.

All users shall:

- A. Provide wastewater pretreatment, as required, to comply with this Chapter;
- B. Achieve compliance with all applicable federal categorical pretreatment standards, as contained in 40 CFR Chapter I, Subchapter N and amendments thereto, and local limits, whichever are more stringent, within the time limitations as specified by the federal pretreatment regulations;
- C. Pre-treat wastewater to a level acceptable to the Director and provide, operate, and maintain all necessary equipment, systems, and devices at the user's expense;
- D. Provide detailed plans to the Director for review and approval showing the pretreatment equipment, systems, devices and operating procedures before the beginning of any construction or installation of any equipment. The review of such plans and operating procedures shall not relieve the user from the responsibility of pre-treating wastewater to produce an effluent acceptable to the Director under the provisions of this Chapter;
- E. No user shall install pretreatment equipment, systems or devices in a confined space or a permit-required confined space.
- F. Whenever deemed necessary, the Director may require users to restrict their wastewater discharge, relocate and/or consolidate points of discharge, separate domestic waste streams from industrial waste streams, and other such conditions as may be necessary to protect the POTW and determine the user's compliance with the requirements of this Chapter; and
- G. Notify the Director of any pretreatment equipment failure within twenty-four hours of discovering the failure. The notification shall be made by a telephone call, telefax transmission,

personal visit or hand delivered notification, to the City's Industrial Waste Office. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.345 Unauthorized monitoring and pretreatment equipment modifications.

No user shall knowingly falsify, tamper with, or render inaccurate any monitoring device or any pretreatment equipment or device. Such falsification, tampering, or inaccuracy shall be considered a violation of this Chapter and shall subject the user to enforcement actions. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.350 Pretreatment equipment bypass.

A. No user shall bypass any pretreatment equipment or device unless the bypass: (i) is necessary to prevent loss of life, personal injury or severe property damage, is not necessitated by some fault of the user, and is the only feasible alternative; or (ii) does not cause local limit violations and is necessary to perform essential maintenance insuring adequate operation of the pretreatment equipment or device.

B. All users shall comply with the following bypass notification requirements:

1. Anticipated bypass: The user shall submit a written notice to the Director at least ten days before the date of the scheduled bypass; or

2. Unanticipated bypass: The user shall notify the Director immediately upon learning that any pretreatment equipment or device has been bypassed. The user shall submit a written report to the Director within five working days after the bypass. The report shall include:

a. A description of the bypass, the cause of the bypass, and the duration of the bypass;

b. If the bypass was corrected; and

c. Actions taken or proposed to reduce or prevent a reoccurrence of the bypass. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.355 Prohibited discharge of recovered pretreatment waste.

No person shall discharge waste recovered from pretreatment equipment, systems, or devices into any sewer or storm drain opening or any drains or other openings leading to any sewer or storm drain or to the ground without authorization and permits from a regulatory agency having jurisdiction over the discharge of the waste. All recovered pretreatment waste shall be disposed of in accordance with all applicable federal, state, county, and local laws and regulations. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.360 Dilution prohibited as a substitute for treatment.

No industrial user shall increase the use of water, or in any other manner attempt, to dilute a wastewater discharge as a partial or complete substitute for adequate treatment to achieve compliance with this Chapter and the industrial user's permit, or to establish an artificially high flow rate for permitted mass emission rates or permitted flow amounts. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.365 Storm water diversion.

A. All users having outdoor areas which allow wastewater and storm water to enter a common opening connected to the City's collection system, shall install and maintain, at the user's expense, a storm water diversion valve in the common opening.

B. The storm water diversion valve design and use shall be reviewed and approved by the Director prior to installation.

C. The valve shall allow wastewater to enter the City's collection system during dry weather and prevent storm water from entering the City's collection system during periods of inclement weather.

D. Unless permitted to do so in accordance with Subsection F. of this Section, no user shall allow wastewater and storm water to mix.

E. During periods of inclement weather, the user shall immediately suspend all outdoor wastewater generating activities and divert all storm water to a storm drain.

F. If the discharge of storm water would create a pollution threat to surface or subsurface waters, the user may make application to the Director requesting that the storm water be discharged to the City's collection system. Approval of a storm water discharge to the City's collection system shall be based on:

1. Hydraulic capacity of City's collection system;
2. Hydraulic capacity of the POTW;
3. Total volume of storm water to be discharged in a twenty-four hour period;
4. A demonstrated need to discharge storm water to the City's collection system to prevent surface and subsurface water contamination; and
5. A good faith effort made by the user to prevent the pollution of storm water by industrial waste and waste generated by the user. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.370 Industrial user modifications.

All permitted industrial users shall report proposed changes in their operations in writing to the Director for approval thirty days prior to initiation of the changes. The reporting shall be done in writing from the authorized representative of the permitted industrial user. For the purposes of this section "changes" shall include any of the following:

- A. A sustained twenty percent increase or decrease in the industrial wastewater flow discharged or in production capacity;
- B. Additions, deletions or changes to processes or equipment; or
- C. Experimentation with new processes and/or equipment that will affect the quantity or quality of the wastewater discharged. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.375 Spill containment system.

Spill containment systems, as may be required, shall conform to requirements established by the Director. These requirements may include but are not limited to the following:

- A. No person shall operate a spill containment system that allows incompatible substances to mix and thereby create a hazardous or toxic substance in the event of a failure of one or more containers.
- B. Spill containment systems shall consist of a system of dikes, walls, barriers, berms, or other devices designed to contain spillage of the liquid contents of containers.
- C. Spill containment systems shall be constructed of materials that are impermeable and non-reactive to the liquids being contained.
- D. Spill containment systems shall conform to local regulations and policies as to percent containment, container type, size, outdoor covering, and the length of time spilled material may remain in the spill containment system.
- E. At no time shall a user use a spill containment system for the storage of waste other than from a spill. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.380 Facility waste management plan.

All permitted industrial users shall be required to develop and maintain a Facility Waste Management Plan (FWMP). The FWMP shall consist of the following applicable documents:

A. Toxic Organic Management Plan (TOMP) is required of all categorical industrial users which are permitted to submit a TOMP in lieu of required pollutant monitoring.

B. Slug Discharge Prevention Control Plan(SDPCP) is required of all industrial users which have batch discharge provisions, stored chemicals or materials, or the potential for a slug discharge which, if discharged to the City's collection or storm drain system, would violate any of the prohibited discharge requirements of this Chapter.

C. Pretreatment Systems Operations and Maintenance Manual shall be submitted by all industrial users that operate and maintain pretreatment equipment for the removal of pollutants from wastewater.

D. Hazardous Materials and Hazardous Waste Management Plan is required of all industrial users that use or possess a hazardous substance or generate a hazardous substance. The City's Fire Department-required Business Emergency Plan may be substituted for this management plan.

E. Waste Minimization/Pollution Prevention Plan (WM/PPP) is required of any industrial user:

1. For whom the Director has determined such WM/PPP is necessary to achieve a water quality objective;

2. Determined by the California State Water Quality Control Board ("state board") to be a chronic violator, and the state board, regional board or City determines that pollution prevention (as defined in Water Code Section 13263.3(b)) could assist;

3. That significantly contributes, or has the potential to significantly contribute, to the creation of a toxic hot spot as defined in Water Code Section 13391.5.

F. A WM/PPP required of an industrial user shall include all of the following:

1. An analysis of one or more of the pollutants, as directed by the state board, regional board, or City, that the user discharges to City's POTW, a description of the sources of the pollutants, and a comprehensive review of the processes used by the discharger that result in the generation and discharge of the pollutants.

2. An analysis of the potential for pollution prevention to reduce the generation of the pollutants, including the application of innovative and alternative technologies and any adverse environmental impacts resulting from the use of those methods.

3. A detailed description of the tasks and time schedules required to investigate and implement various elements of pollution prevention techniques.

4. A statement of the discharger's pollution prevention goals and strategies, including priorities for short-term and long-term action.

5. A description of the discharger's existing pollution prevention methods.

6. A statement that the discharger's existing and planned pollution prevention strategies do not constitute cross media pollution transfers unless clear environmental benefits of such an approach are identified to the satisfaction of City and information that supports that statement.

7. Proof of compliance with the Hazardous Waste Source Reduction and Management Review Act of 1989 (article 11.9 (commencing with Section 25244.12) of Chapter 6.5 of Division 20 of the Health and Safety Code) if the discharger is also subject to that act.

8. An analysis, to the extent feasible, of the relative costs and benefits of the possible pollution prevention activities.

9. A specification of, and rationale for, the technically feasible and economically practicable pollution prevention measures selected by the discharger for implementation.

G. Any person who fails to complete a pollution prevention plan required by City, submits a plan that does not comply with this Section, or fails to implement a plan required by

City, shall be liable to City for any civil penalty assessed administratively by City or by a court in accordance with this Chapter.

H. City shall not include a WM/PPP in any local limits or permit issued by City. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.385 Federal categorical pretreatment standards.

It is unlawful for any user subject to federal categorical pretreatment standards to discharge wastewater to the City's collection system or POTW in violation of the applicable federal categorical pretreatment standards or any limitation contained in this Chapter or user's permit. The federal categorical pretreatment standards found in 40 CFR Chapter I, Subchapter N and amendments thereto are hereby incorporated into this Chapter by reference. Where duplication of the same pollutant limitation exists, the limitation that is more stringent shall prevail. Compliance with federal categorical pretreatment standards for existing sources subject to such standards or for existing sources which hereafter become subject to such standards shall be achieved within three years following promulgation of the standards unless a shorter compliance time is specified in the standards or by the Director. New sources shall install, have in operating condition and "start-up" all pollution control equipment required to meet applicable pretreatment standards before beginning any discharge. New sources must meet all applicable pretreatment standards within the shortest feasible time, not to exceed ninety days. (Ord. 6377 §2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.390 Commercial/Industrial tenant occupancy notification.

Pursuant to 40 CFR 403.8(f)(2)(i), and amendments thereto, all owners of multiple tenant commercial/industrial developments within the City shall submit, upon request, a current list of tenants. This list shall provide the name, address, unit space designation and type of business activity for each tenant space in the development. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.395 Notice of potential problems to director.

All users shall immediately notify the Director of all wastewater discharges that could cause a problem at the POTW or in City's collection system, including any slug loadings of any material. Wastewater discharges that may cause a problem at the POTW include, but are not limited to, acids, alkalis, oils, greases, high strength organic waste, salt, hazardous substances and waste, colored wastes, and batch discharges. All users shall provide the Director, within five business days from the incident, a written report detailing the cause of the discharge and the corrective actions taken to prevent a recurrence. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.400 Written responses.

All users required to provide a written response to any correspondence, order, or notice from the Director shall do so in accordance with the date specified in the correspondence, order, or notice. Failure to provide the written response by the date requested shall constitute a violation of this Chapter and may subject the user to enforcement actions. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.405 Falsifying information.

Any user who knowingly makes any false statement, representation, or certification in any record, correspondence, or other document submitted or required to be maintained under this Chapter, including monitoring reports and records, or reports of compliance or

noncompliance shall be in violation of this Chapter and may subject the user to enforcement actions. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.410 Wastewater discharge authorization certificate.

Any non-residential user desiring to discharge wastewater to the City's POTW, that does not qualify for an Industrial User Permit, Group Permit, or De Minimis Category and whose wastewater shall not have an adverse affect on the City's POTW, may be required to obtain a Wastewater Discharge Authorization Certificate (WDAC) from the Director. WDACs shall not be issued to categorical industrial users. WDACs are issued for indefinite time periods, subject to periodic review and reconsideration by the Director. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.415 Industrial user group permits.

Certain classes of industrial users, as determined by the Director, may be eligible to participate in an Industrial User Group Permit. Permittees within this designation shall share a common business identification as defined by the Federal NAICS code book. Industrial users permitted by this group permit shall abide by general permit conditions specific for that particular group being permitted. These permit conditions shall be established by the Director. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.420 Industrial user permits.

A. It is unlawful for any Class I, II, IV, V, or VI industrial user to connect or discharge to City's collection system or the POTW without a valid industrial user permit. It is unlawful for any Class III industrial user to connect or discharge to City's collection system or the POTW without a valid industrial user permit, WDAC, or industrial user group permit, as determined by the Director based upon the industrial user's effect on the POTW. City issuance of any such permit or WDAC shall not vest any right in a user to continue connection or discharge to City's collection system or POTW beyond any right expressly stated in such permit or WDAC.

B. Plans and building permits for Class I, II, IV, V, or VI industrial user permits and those users designated by the Director shall not be approved by the Director for any sewer connection which will convey industrial wastewater to the City's collection system or POTW unless the user has first obtained an industrial user permit or the user has received written permission from the Director after agreeing in writing not to discharge industrial wastewater until an industrial user permit has been obtained.

C. Users required to obtain an industrial user permit shall complete and file with the Director a permit application form provided by the Director and shall pay all applicable fees within thirty days of invoicing by the City. The application form may require applicant's submission of any or all of the following:

1. Name, address, and location (if different from the site address);
2. NAICS number according to the Federal North American Industry Classification System, Office of Management and Budget, 1997, as amended;
3. EPA hazardous waste generator's number;
4. Wastewater samples analyzed for specified pollutants by a State certified laboratory in accordance with the methods published by EPA in 40 CFR Part 136 and amendments thereto;
5. Time and duration of the wastewater discharges;
6. Average and maximum daily wastewater flow rates, including any seasonal variation of all waste streams discharged;
7. A list of all environmental control permits held;

8. A written statement from the property owner or landlord, if different from the industrial user, agreeing to the industrial user's activities, manufacturing processes, and chemical and material storage;

9. Site plans, floor plans, mechanical and plumbing plans with details to show all sewers, sewer connections, pretreatment equipment, systems and devices, production areas and all areas of wastewater generation;

10. A description of operations including the nature, average rate of production, and NAICS code of the operation(s) carried out by the industrial user, and a schematic process diagram which indicates points of discharge to the POTW;

11. Flow measurement information showing the measured average daily and maximum daily flow in gallons per day to the City's collection system from regulated process waste streams and other waste streams as necessary to allow use of the combined waste stream formula;

12. Measurement of pollutants identifying the National Categorical Pretreatment Standard applicable to each regulated process, with the results of sample analyses identifying the nature and concentration (or mass where required) of regulated pollutants in the discharge from each regulated process. Both daily maximum and average concentration (or mass) shall be reported. All analyses shall be performed in accordance with the techniques prescribed in 40 CFR part 136 and amendments thereto;

13. Certification statement, as set forth in 40 CFR Part 403.6(a)(2)(ii) and amendments thereto, executed by an authorized representative of the industrial user and prepared by a qualified professional, indicating whether or not pretreatment standards (categorical and local) are being met on a consistent basis. If not, the industrial user shall state if additional operation and maintenance or additional pretreatment equipment is necessary to achieve compliance with pretreatment standards and requirements; and

14. Any other information as may be necessary for the Director to evaluate the permit application.

D. Within forty-five days after receiving the completed application and all required supporting information, the Director shall evaluate the application and information furnished by the applicant and either issue an industrial user permit subject to the terms and conditions provided in this Chapter, suspend the issuance of the permit or disapprove the application pursuant to subsection F. of this Section. The Director shall issue the permit, if the Director believes that sufficient and accurate information has been provided by the applicant in the permit application and the Director finds that all of the following conditions are met:

1. The proposed discharge of the applicant is in compliance with the prohibitions and limitations of this Chapter;

2. The proposed operation and discharge of the applicant would not interfere with the normal and efficient operation of the City's collection system and POTW;

3. The proposed discharge, operation or business activity of the applicant shall not result in a violation by the City of the terms and conditions of its NPDES permit or cause a pass through of any toxic materials to the environment or the POTW sludge; and

4. The applicant has paid all applicable industrial user permit fees.

E. The Director may suspend the permit application process if the user's business will not be operational and no wastewater is planned for discharge at the conclusion of the application review process. The user must notify the Director at least fourteen calendar days prior to the commencement of the business activities and wastewater discharge.

F. If the Director determines that the proposed discharge will not be acceptable, the Director shall disapprove the application and shall notify the applicant in writing, specifying the reason(s) for denial and the applicable appeals process under Section 14.12.540 APPEALS.

G. Industrial user permits shall be subject to all provisions of this Chapter and all other applicable regulations, charges and fees established by City Council resolution. Permits shall contain or require any or all of the following:

1. The unit charge or schedule of user charges and fees for the wastewater discharged to the POTW as established by ordinance or resolution;
2. Schedule of penalties for noncompliance as established by resolution;
3. Limitations on the average monthly and maximum daily wastewater pollutants and mass emission rates for pollutants;
4. Limitations on the average monthly and maximum daily wastewater flow rates;
5. Requirements for the submittal of a Facility Waste Management Plan;
6. Requirements for the submittal of daily, monthly, annual and long-term production rates;
7. Requirements for reporting changes and/or modifications to equipment and/or processes that affect the quantity or quality of the wastewater discharged;
8. Requirements for installation and maintenance of monitoring and sampling equipment and devices;
9. Requirements for the installation of pretreatment technology, pollution control, or construction of appropriate spill containment devices;
10. Specifications for monitoring programs which may include: sampling location(s); frequency of sampling; pollutant violation notification and resampling requirements; number, types and standards for tests; reporting schedules; TTO monitoring; and self-monitoring standard operating procedures (SOPs);
11. Requirements for reporting flow exceedances and pollutant violations;
12. A consent to City's entry onto the user's premises to assess compliance by inspection, records examination, sampling, and monitoring;
13. Compliance schedule;
14. Submission of a modified compliance schedule if compliance with pretreatment standards cannot be met on a consistent basis. This modified compliance schedule shall provide the shortest possible time for the industrial user to provide additional pretreatment and/or operations and maintenance to achieve compliance. The modified compliance schedule shall contain increments of progress, (called milestones) in the form of dates, not to exceed nine months, for the commencement and completion of major events leading to the construction and operation of additional pretreatment required for the industrial user to achieve compliance with applicable federal categorical pretreatment standards;
15. Compliance Schedule progress reports, if required, shall be submitted every thirty days during the time the compliance schedule is in force, including a final compliance report at the conclusion of the compliance schedule. The industrial user shall state whether or not compliance was achieved for the increment of progress to be met on such a date. If progress cannot be achieved, the industrial user shall state the reasons for the delay and the steps to be taken to return to the dates originally established in the compliance schedule;
16. Requirements for submission of technical or discharge reports, Baseline Monitoring Reports (BMR), compliance reports, and reports on continued compliance;
17. Reports on compliance with federal categorical pretreatment standards deadlines. All categorical industrial users shall submit reports to the Director containing the information described in this Section as required by the permit. For existing categorical industrial users, the report shall be submitted within ninety days following the date for final compliance with applicable categorical pretreatment standards. For new categorical industrial users, the report shall be due thirty days following the commencement of wastewater discharge into the POTW. These reports shall contain long term production rates and actual production during the wastewater sampling periods;

18. All significant and categorical industrial users shall submit progress reports on compliance every six months. These reports shall include effluent sample analyses with the name and concentration or mass of the pollutants in the industrial user permit; average and maximum daily wastewater flows for all regulated processes and total flow for the reporting period; average and maximum daily production rates; and total production rate for the reporting period;

19. All required reports: BMRs, compliance reports, periodic reports on continued compliance, and sample data submittals, must be signed by an authorized representative of the user;

20. All reports required by subdivision 18 of this subsection G. must have an accompanying certification statement by a qualified professional stating whether the pretreatment standards are or are not being met as set forth in 40 CFR Section 403.12(b)(6) and amendments thereto;

21. Requirements for maintaining and retaining all records relating to the wastewater monitoring, sample analyses, production, waste disposal, recycling, and waste minimization as specified by the Director;

22. Requirements for notification of slug or accidental discharges and significant changes in volume or characteristics of the pollutants discharged;

23. Statement of applicable civil and criminal penalties for violation of pretreatment standards and requirements and this Chapter and amendments thereto; and

24. Other conditions as deemed appropriate by the Director to ensure compliance with this Chapter and amendments thereto. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.425 Permit duration.

Industrial User Permits shall be issued for a specified time period, not to exceed three years. (Ord. 6377 § 2 (part), 2002; Ord. 6223 § 2 (part), 1995)

Section 14.12.430 Duty to comply.

All users that have been issued an industrial user permit, group permit, WDAC, or de minimis categorization have a duty to comply with all conditions and limitations in these control documents ("control documents"). Any user failing to comply with the requirements of such user's control documents shall be subject to administrative, civil or criminal enforcement actions in accordance with this Chapter. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.435 Permit renewal.

All users shall submit a completed industrial user permit application, required monitoring information or production reports, and any other information required for permit renewal a minimum of ninety calendar days prior to the expiration of the existing industrial user permit. All users shall pay all applicable permit fees no later than thirty calendar days after invoicing by the City. If the Director fails to notify user of Director's decision to issue or not issue a renewed permit prior to the expiration date of the current permit, the user's timely submission of a completed application and all other required information and reports shall automatically extend the permit for up to thirty working days until the actual permit can be issued or denied. Any discharge of industrial wastewater to City's collection system or POTW with an expired industrial user permit shall be a violation of this Chapter and subject the user to enforcement action. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.440 Permit modifications.

A. The terms and conditions of the industrial user permit shall be subject to modification by the Director during the term of the permit for just cause including, but not limited to:

1. To incorporate any new or revised federal, state, or local pretreatment standards or requirements;
2. To address significant alterations or modifications to the user's operation, processes, or wastewater volume or character since the time of the industrial user permit issuance;
3. A change in the POTW that requires either a temporary or permanent reduction or elimination of the permitted discharge;
4. The permitted wastewater discharge poses a threat to the POTW, city personnel, residents, or receiving waters;
5. Violation of any term or condition of the industrial user permit;
6. Misrepresentations or failure to fully disclose all relevant facts in the industrial user permit application or in any required reporting; or
7. To correct typographical or other errors in the industrial user permit.

B. City shall notify the user of any proposed permit changes at least thirty days prior to the effective date of the changes. Any modifications in the permit shall include a reasonable time schedule for compliance. (Ord. 6377 § 2(part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.445 Permit transfer.

Each liquid waste hauler permit, industrial user permit, WDAC, or industrial user group permit is issued to a specific user for a specific operation for a specified time. Any assignment, transfer or sale of a liquid waste hauler permit, industrial user permit, WDAC, or industrial user group permit to a new owner, new user, different premises, or different use is prohibited and is a violation of this Chapter. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.450 Fees and charges.

The City is authorized to recover costs from users for the implementation of the City's pretreatment program in the form of fees and charges. These fees and charges relate exclusively to matters covered by this Chapter and are separate from all other fees and charges imposed by the City. The amount of these fees and charges and method of implementation shall be established by resolution of the City Council. The City may assess fees and charges under this Chapter against users to recover the costs for:

- A. Developing, implementing, and operating the City's pretreatment program and this Chapter;
- B. Monitoring, inspection, surveillance procedures and laboratory costs;
- C. Reviewing plans and construction inspections;
- D. Industrial user permit application review;
- E. Industrial user permit, industrial user group permit, and wastewater discharge authorization certificate issuance;
- F. Enforcement actions for violation of this Chapter;
- G. Liquid waste hauler's permit issuance;
- H. Temporary user permit issuance;
- I. Exceedance of conventional pollutant limitations set forth in the industrial user permit and other applicable pollutant limitations. Such pollutant exceedance fees shall be based on the POTW costs of operations, maintenance and treatment for the pounds of COD, Total Suspended Solids, Oil and Grease and Total Nitrogen;
- J. Non-residential users sewer service fees shall be assessed upon the following conditions:

1. All non-residential users that discharge any volume of wastewater to the City's collection system or POTW that has amounts of COD, TSS or oil and grease greater than or equal to the average amounts of COD, TSS and oil and grease normally found in twenty-five thousand gallons of domestic sewage shall be designated "industrial users" and shall pay monthly-sewer service fees based on the industrial user sewer rates established periodically by resolution. The industrial user sewer rates shall be based upon total volume of wastewater discharged and City's costs for providing services and treatment for the pounds of COD, Total Suspended Solids, and oil and grease discharged.

2. All non-residential users that discharge any volume of wastewater to the City's collection system or POTW, that has amounts of COD, TSS and oil and grease less than the average amounts of COD, TSS and oil and grease normally found in twenty-five thousand gallons of domestic sewage, shall be designated "Commercial users". These commercial users shall pay monthly sewer service fees based upon the commercial sewer use rates established periodically by resolution. The commercial sewer use rates shall be based on the costs for providing services and treatment for the amounts of COD, TSS and gallons of wastewater discharged. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.455 Assessment of permit fees and charges.

Permit fees for multi-year permits shall be payable in advance for the entire term of the permit, as invoiced by the City's Finance Department. If an permit is terminated prior to thirty calendar days after the date of issuance, then the Director shall refund fifty percent of the original permit fee to the user, less any fees, charges or penalties owing to City provided that no refund shall be made to a permit holder which is in violation of this Chapter or permit at any time prior to such termination. After a permit has been issued thirty days or more, all fees for that permit are non-refundable. No permit application fee shall be refundable at any time. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.460 Payment of fees, charges and penalties; Late payment.

Unless otherwise specified, all fees, charges and penalties imposed pursuant to this Chapter are due and payable within thirty calendar days after the date of the notice or invoice from the City. Users who fail to pay any required fee, charge or penalty by the due date, shall pay a fifty percent surcharge in addition to the original fee, charge or penalty. City shall give notice to a user of any permit termination associated with the unpaid amounts and such permit will be automatically revoked on the thirtieth day after the date of such notice if the amount due is not paid in full. Director shall refer the unpaid amount to the City's Finance Department for collection. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.464A IV. Enforcement

Section 14.12.465 Enforcement Response Plan (ERP).

The City shall use an Enforcement Response Plan (ERP), as required by 40 CFR 403.8(f)(5) and amendments thereto, and adopted by resolution of the City Council, to guide the City in imposing progressive enforcement actions against users and persons in noncompliance with this Chapter. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.470 Administrative violations.

There is hereby established a class of violations to be known as Administrative Violations that are further subdivided into minor and major administrative violations as follows:

A. Minor Administrative Violations include, but are not limited to, the following:

1. Submission of incomplete reports or questionnaires;
 2. Failure to submit reports by the scheduled due date;
 3. Failure to respond to questionnaires;
 4. Missing a compliance date without proper prior notification to the City;
 5. Failure to conduct sampling when required;
 6. Failure to notify the Director of a violation of a permit condition within twenty-four hours after discovery of the violation; or
 7. Failure to pay all required fees, penalties and charges within thirty calendar days from the due date.
- B. Major Administrative Violations include, but are not limited to, the following:
1. Failure to notify the Director of a slug discharge immediately after discovery of said discharge;
 2. Failure to respond, by a given date, to letters requiring responses or to administrative orders;
 3. Missing a compliance date by more than thirty calendar days;
 4. Falsification of documents or attempting to mislead City officials in any manner whatsoever;
 5. Failure to cooperate with City officials exercising their authority under this Chapter, including monitoring and inspection activities;
 6. A pattern of minor administrative violations;
 7. Failure to provide City with access to user's premises for the purpose of inspection, monitoring, or sampling;
 8. Failure to produce records as required;
 9. Failure to accurately report noncompliance;
 10. Failure to submit required reports (self-monitoring, one hundred eighty-day baseline monitoring report, ninety-day compliance report, Compliance Schedule progress reports) or submitting such reports more than thirty calendar days late;
 11. Failure to pay charges pursuant to Section 14.12.4620 of this Chapter, permit application fees, permit renewal fees, and Civil Penalties within sixty calendar days after the due date; or
 12. Failure to pay all other required fees, penalties, and charges within sixty calendar days after the due date.
- C. Upon notice of appropriate mitigating circumstances and consistent with applicable federal and state laws, the Director has sole discretion to treat a major administrative violation as a minor administrative violation, or a pattern of minor administrative violations with aggravating circumstances as individual major administrative violations. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.475 Violations of discharge limitations.

A. There is hereby established a class of violations to be known as discharge violations that are further subdivided into minor and major discharge violations as follows:

1. Minor discharge violations are those that, either alone or in combination with similar user discharge violations, pose, as determined by the Director, no significant threat to the public health, safety or welfare, the environment, the POTW, the beneficial use of the sludge or to any City employee or contractor.
2. Major discharge violations include, but are not limited to, the following:
 - a. Significant Noncompliance;
 - b. Discharge violations which, either alone or in combination with similar discharges pose, as determined by the Director, a significant threat to the public health, welfare or safety, the environment, the safe and efficient operation of the POTW, the beneficial use of sludge or to

any City employee or contractor, or cause or contribute to additional treatment costs incurred by the City or a violation of the NPDES permit, or cause or contribute to pass through, interference, or other known damages;

c. Discharging regulated pollutants to the City's POTW without a current discharge permit;

d. A pattern of minor discharge violations;

e. Failure to correct a minor discharge violation within a specific time period as directed by the Director;

f. Tampering with or purposely rendering inaccurate any monitoring device, method or record required to be maintained pursuant to this Chapter;

g. Intentional discharge of a prohibited waste by a liquid waste hauler into the City's POTW; or

h. Wastewater discharge without a valid industrial user permit after notification.

B. Upon notice of appropriate mitigating circumstances, the Director has sole discretion to treat a major discharge violation as a minor discharge violation. The Director also has sole discretion to treat a pattern of minor discharge violations with aggravating circumstances as individual major discharge violations. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.480 Unclassified violations.

For any violation by any user or person that is not classified herein, or for the violation of any rule or regulation promulgated hereunder, the Director shall have the discretion to treat such violation as a minor or major violation and to exercise enforcement authority accordingly. In exercising this enforcement authority, the Director shall consider the magnitude of the violation, its duration, and its effect on receiving waters, the POTW, the POTWs sludge, the health and safety of City employees, contractors, users, and the general public. The Director shall also evaluate the user's or person's compliance history, good faith, and any other factors the Director deems relevant. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.485 Separate violations.

Any user or person found to be in violation of this Chapter shall be charged with a separate violation for each day the same violation exists. Each wastewater discharge pollutant violation shall be considered an individual violation for each pollutant in violation. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.490 Administrative orders.

The Director may require compliance with this Chapter and any permit or order issued under this Chapter by issuing Administrative Orders that are enforceable in a court of law, or by directly seeking court action. The Director may use Administrative Orders, either individually, sequentially, concurrently, or in any order for one or more violations as appropriate for the circumstances. Administrative Orders include:

A. Stop work orders. The Director may serve a written Stop Work Order to any person engaged in doing or causing to be done new construction, tenant improvements, alterations, or additions relative to the City's pretreatment program if:

1. City permits have not been obtained;

2. Work has begun without prior written approval by the Director; or

3. Violations of this Chapter are found at the site of the new construction, tenant improvements, alterations, or additions. Any person served a Stop Work Order pursuant to this Section shall immediately stop such work until written authorization for such work is issued by the Director.

B. Correction Notice. A correction notice shall be given to a user to require correction of minor violations noted during an inspection of the user's facility by the Director.

1. EXTENSIONS. Compliance time extensions may be granted to a user who fails to correct minor violation(s) required by a correction notice, upon a showing of good cause by such user.

2. For purposes of this Section "good cause" means an unforeseeable and unavoidable event or series of events, over which user had no control, that prevented or significantly impaired the user's ability to comply with the correction notice.

C. Written warning. The Directory shall issue a written warning to notify a user of a minor violation and any violation that has not been corrected as required by a correction notice. The written warning shall state the provision(s) violated and the facts alleged to constitute the violation, and may include any proposed corrective actions or monitoring to be required.

D. Monitoring/Production Information Order (MPIO). An MPIO shall be issued to a user when two consecutive violations for the same pollutant are detected in City samples, user samples, or both. The MPIO shall be used to determine if discharge compliance has been achieved or if a detected violation is consistent. The MPIO shall require the user to sample the user's wastewater discharge for the pollutants in violation and record the daily effluent wastewater flow for all days within a fourteen consecutive day period that industrial wastewater is discharged to the POTW. Production information shall be required of all categorical users which have production based discharge limits.

E. Notice of Violation (NOV). An NOV shall be issued to a user for a violation of a written warning, stop work order, industrial user permit, of this Chapter, or an MPIO that has resulted in significant noncompliance. A user to whom an NOV is issued shall pay an NOV fee as established by resolution. When the Director is made aware of the user's violation(s), the Director may serve the user personally or by certified mail with a written NOV. The NOV shall state the provision(s) violated and the facts alleged to constitute the violation, and may include any proposed corrective actions or monitoring to be required. The NOV shall requires the user to respond in writing to the Director, within ten calendar days from the date of service of the NOV, with a written explanation of or response to the violation(s) and a plan for the satisfactory correction or prevention thereof, including specific required actions. Submission of this plan in no way relieves the user of liability for any violations occurring before or after receipt of the NOV.

F. Violation Meeting. A violation meeting shall be required of all users who have failed to achieve compliance after the issuance of an NOV or at the conclusion of an MPIO that has resulted in significant noncompliance. This meeting shall be for the City to draft a consent order or compliance order or for the user to propose solutions, request time extensions, draft a compliance schedule, or file an appeal. Any user for whom a violation meeting is scheduled shall pay City a violation meeting fee in an amount as established by resolution.

G. Consent order. The Director may, at any time after finding a violation of this Chapter, enter into an agreement with the violating user that shall be known as a consent order. Such agreement may be in the form of a compliance schedule with milestones, other specific actions to be taken by the user to correct or prevent the noncompliance within a specified time period, payment of damages, consent order fees, penalties, or other remedies. The consent order is developed between the user and the City. A consent order has the same force and effect as any other administrative order issued pursuant to this Chapter. Any user subject of a consent order shall pay City a consent order fee as established by resolution.

H. Compliance Order.

1. A compliance order shall be issued to a user that has violated or continues to violate this Chapter, the user's industrial user permit, or order issued thereunder. The Director may issue a compliance order to the user responsible for the violation(s) which shall specify the provisions violated and the facts constituting the violation(s), and shall direct that adequate

treatment facilities, devices, or other related appurtenances be installed and properly operated by a specified time period. Compliance orders may also contain such other requirements as the Director deems reasonably necessary and appropriate to assure timely compliance with this Chapter and to address the noncompliance. Such compliance order may require the installation of pretreatment technology, additional self-monitoring or management practices, adherence to a compliance schedule with milestones, submission of action plans, appearance by the user at a specific time and place for a compliance meeting, or other measures necessary to achieve and maintain compliance. The compliance order is developed by the Director without comment from the user. A user subject of a compliance order shall pay a compliance order fee as established by resolution.

2. If no public hearing on the alleged violation(s) has been previously conducted, the alleged violating user may either submit a written explanation or other response to the compliance order or request that the Director conduct either an informal meeting or a hearing. Such submission or request shall be in writing and filed with the Director no later than ten calendar days after service of the compliance order. The submission or request shall not stay the compliance order.

I. Civil Penalty Order. A civil penalty order shall be issued to a user by the Director or City Attorney to assess penalties authorized by Sections 14.12.510 or 14.12.535 of this Chapter and any other costs incurred by the City in the investigation, monitoring, legal assistance, enforcement, cleanup or repair caused by the user's violation. The civil penalty order may be included with any other administrative order.

J. Cease and Desist Order. A cease and desist order shall be issued by the Director to any user or person whose violation of this Chapter, industrial user permit, or any order issued under this Chapter, poses a threat to the City's collection system, storm drain, POTW, personnel, environment or the public. A cease and desist order may also be issued by the Director to a user who continues to discharge industrial wastewater to the City's POTW without a valid industrial user permit. The Director may issue a cease and desist order immediately upon discovering any such violation and direct a user or person in noncompliance to take such appropriate remedial or preventive actions as Director deems are needed to eliminate a continuing or threatened violation, including halting operations and terminating the discharge. Such cease and desist order shall include the provision violated and the facts constituting the violation. A user subject of a cease and desist order shall pay City a cease and desist order fee as established by resolution.

K. Show Cause Order. A hearing requiring a user to show cause why a proposed enforcement action should not be taken by City shall be conducted prior to City's imposition of such enforcement action against a user failing to achieve compliance with this Chapter or user's industrial user permit, after issuance and conclusion of a consent order, compliance order, or cease and desist order. The show cause hearing shall be conducted pursuant to such written procedures as established by the Director from time to time, maintained for public review in the office of the Director, and provided to a user at the time of notice of such hearing. Such procedures shall provide user with notice and an opportunity to be heard, and may include the following procedures.

1. A show cause order, issued by the Director, shall order the violating user to appear at a show cause hearing to show cause to the Director why a proposed enforcement action should not be taken;

2. The show cause hearing shall be public;

3. A notice of the show cause hearing and the show cause order shall be served on the user specifying the time and place for the public hearing; the proposed enforcement action and the reasons for such action, including any alleged violation and the facts constituting the violation, and a request that the user show cause why the proposed enforcement action should not be taken;

4. The Director shall permit the alleged violating user to respond to the notice and order, to present evidence and argument on all relevant issues, and to conduct cross-examination of any witnesses necessary for the full disclosure of the facts;

5. The Director may request the attendance and testimony of witnesses and the production of evidence relevant to any matter, and may seek from the appropriate court the issuance of subpoena to compel the presence of prospective witnesses;

6. The testimony taken shall be under oath and recorded, with a transcript prepared and provided to any person upon payment of the usual charges for such transcript;

7. The notice of the hearing and the order to show cause shall be served upon user personally or by registered or certified mail (return receipt requested) at least fifteen calendar days prior to the hearing; except that the Director may set an earlier date for the hearing if the user requests the earlier date. Such notice may be served on any authorized representative of the user;

8. Upon review of the evidence, the Director shall make written findings of fact and decision in the nature of an order, which shall be served upon user; and

9. City may immediately impose an enforcement action after the hearing whether or not a duly notified user appears as noticed. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.495 Industrial user permit revocation.

The Director may revoke any industrial user permit if the user is in violation of any provision of this Chapter or the industrial user permit. These violations include but are not limited to: falsification by user of information required by this Chapter; user's denial to the City of the right of entry when conditioned in the industrial user permit; user's failure to re-apply for an industrial user permit or request a required permit modification; user's failure to pay required permit fees or charges; or user's discharges in violation of this Chapter. Validity of the industrial user permit shall be conditioned upon industrial user's compliance with the provisions of this Chapter. The Director may revoke the industrial user permit upon a minimum notice of fifteen calendar days when the Director finds that user violated any provision of this Chapter or industrial user permit. Within the fifteen days prior to the intended permit revocation, the Director shall make a hearing available to the industrial user. All costs for industrial user permit revocation and reissuance will be paid by the user. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.500 Termination of service.

The Director may immediately order a user to cease discharge of wastewater to City's collection system and POTW, and may suspend wastewater disposal and treatment service for such user in order to stop an actual or threatened discharge which presents or may present an imminent or substantial endangerment to the health or welfare of persons or to the environment, or causes interference to the POTW or City's collection system, or causes the City to violate any condition of its NPDES permit, or if the user has failed to obtain a valid industrial user permit. If the user fails to comply voluntarily with the suspension order, the Director shall take such steps as deemed necessary, including immediate severance of the sewer service lateral connection, to prevent or minimize damage to the POTW or collection system, or endangerment to any person or the environment. All costs for terminating service shall be paid by the user. All costs for reestablishing service shall be paid by the user. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.505 Publication notice.

The names of all significant industrial users which are found to be in significant noncompliance with this Chapter shall be published at least annually in the City's largest daily

circulating newspaper, in accordance with 40 CFR 403.8(f)(2)(vii) and amendments thereto. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.510 Civil penalties.

A. Any user violating any provision of this Chapter, user's permit, or administrative order shall be liable to the City for a civil penalty of not more than one thousand dollars per violation per day for as long as the violation continues, plus actual damages incurred by the City. In addition to these penalties and damages, the Director may order user to pay City's costs, including reasonable attorney's fees, court costs, and other expenses associated with the enforcement activities, including, but not limited to, sampling, monitoring, laboratory costs and inspection expenses.

B. Upon petition by the Director, through the City Attorney, an award of such penalties, damages and costs shall be ordered against such user by an appropriate court in the County of Riverside. In determining the amount of such penalties, damages and costs, the court shall take into account all relevant circumstances, including but not limited to, the extent of harm caused by the violation, the magnitude and duration, any economic benefit gained through a user's violation, corrective actions by a user, the compliance history of the user, good faith efforts to restore compliance, threat to human health, to the environment and to the POTW, and any other factor as justice requires. The purpose of any civil penalty is to encourage compliance and remedy unquantified damage to the POTW and environment, and not to impose criminal sanctions nor retribution.

C. If any user discharges wastewater into the City's collection system or POTW contrary to the provisions of this Chapter, federal or state pretreatment requirements, or any order of the City or permit issued under this Chapter, the Director through the City Attorney may commence an action for appropriate legal and/or equitable relief in the appropriate court in the County of Riverside. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.515 Criminal penalties.

A. Any user which willfully or knowingly violates any provision of this Chapter, or any orders or permits issued hereunder shall, upon conviction, be guilty of a misdemeanor, punishable by a fine not to exceed one thousand dollars or imprisonment for not more than six months, or both, per violation per day. This penalty shall be consistent with the Federal Clean Water Act, 33 U.S.C. 1251, et seq. and amendments thereto, and shall apply to the exclusion of any other more lenient Chapter provision. A user shall be guilty of a separate violation for each day a violation of any provision of this Chapter or industrial user permit is committed or continued by such user.

B. Any user that willfully or knowingly makes any false statements, representations, or certifications in any application, record, report, plan or other document filed or required to be maintained pursuant to this Chapter or the user's industrial user permit, or which falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required under this Chapter shall, upon conviction, be guilty of a misdemeanor punishable by a fine of not more than one thousand dollars per violation per day or imprisonment for not more than six months, or both, per violation per day. This penalty shall be consistent with the Federal Clean Water Act, 33 U.S.C. 1251, et seq. and amendments thereto, and shall apply to the exclusion of any other more lenient Chapter provision. (Ord. 6377 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.520 Probationary periods.

A user issued a written warning shall be issued a maximum six month probationary period for the violation stated in the written warning. All users issued a notice of violation shall be issued a maximum twelve month probationary period for the violation stated in the notice of

violation. If the user commits the same violation within the probationary period, then enforcement will be escalated to the next appropriate level. If the user commits the same violation after the end of the probationary period, then the violation will be treated as a new violation for purposes of enforcement. Repeated same violations will only be granted two probationary periods. If the same violation occurs after two consecutive probationary periods for either a written warning or a notice of violation, then the enforcement actions will be escalated to the next appropriate level. (Ord. 6637 § 2 (part), 2002; Ord. 6232 § 2 (part), 1995)

Section 14.12.525 Remedies nonexclusive.

The violation enforcement remedies for this Chapter are not exclusive. The Director may take any, all, or any combination of these remedies against a noncompliant user. Enforcement of Chapter violations will generally be in accordance with the City's Enforcement Response Plan. The Director, however, may take alternative actions against a user when the circumstances warrant. The Director is also empowered to take more than one enforcement action against any noncompliant user. (Ord. 6637 §2 (part), 2002)

Section 14.12.530 Judicial collection.

After an order making any monetary amount owing under this Chapter has become final, or after a court in an action has entered a final judgment in favor of the City, the Director through the City Attorney may initiate a civil action, if not earlier filed as a part of the judicial review, in the appropriate court to recover such amount plus prevailing interest from the date of the final order or the date of the final judgment, as the case may be. In such an action, the validity, amount, and appropriateness of such penalty shall not be subject to review. Any user who fails to pay on a timely basis the amount of an assessment of a civil penalty as described in this Section shall be required to pay to City, in addition to such amount and interest, City's attorneys' fees and costs, including filing fees, process service fees for collection proceedings and a quarterly nonpayment penalty for each quarter during which such failure to pay persists. Such nonpayment penalty shall be in an amount equal to twenty percent of the aggregate amount of such person's penalties and nonpayment penalties which are unpaid as of the beginning of such quarter. (Ord. 6637 §2 (part), 2002)

Section 14.12.535 Damage to facilities or interruption of normal operations.

When a user's discharge of waste causes an obstruction, damage, interference, pass through or any other impairment to the City's collection system, POTW, or storm drain system, the Director may assess a charge, including administrative costs attributable thereto, against the user for costs incurred by the City for extra monitoring, investigation, quantifiable damages and work required to clean, repair and resume normal operations. A ninety percent administrative fee shall be added to the direct charges. Unless appealed as provided herein, such charge shall be payable by the user within thirty calendar days of being notified of such charge and is subject to collection by civil suit or other procedures provided in this Chapter. (Ord. 6637 §2 (part), 2002)

Section 14.12.540 Appeals.

A. Any user affected by and dissatisfied with any decision, order, or enforcement action, made by the Director interpreting or implementing the provisions of this Chapter or industrial user permit, may file with the Director a written appeal requesting reconsideration of such decision, order or enforcement action within ten calendar days from the receipt of the notice of such decision, order or enforcement action. The user shall state in detail the facts supporting the user's request for reconsideration. The Director shall render a ruling on the request for

reconsideration to the user in writing within ten calendar days from receipt of the appeal. Submission of such a request in no way relieves the user of liability for any violations occurring before or after receipt of decision, order, or enforcement action, nor stays the requirements of achieving or maintaining compliance.

B. If the ruling on the request for reconsideration made by the Director is unsatisfactory to user, the user requesting reconsideration may, within ten calendar days after receipt of notice of the Director's ruling, file a written appeal with the City Council, lodging such appeal with the City Clerk along with an appeals fee of one hundred dollars. The written appeal shall be heard by the City Council within thirty days from the date of filing. The City Council shall make a ruling on the appeal within forty-five days from the date of filing.

C. City Council's final ruling shall be deemed a final decision, order or action by City which any person adversely affected by such decision, order or action may appeal to the appropriate court in the County of Riverside. No person may obtain judicial review of any decision, order, or enforcement action by City under this Chapter without first having exhausted his or her administrative remedies set forth in this Section. (Ord. 6637 §2 (part), 2002)

Section 14.12.545 Alternative enforcement procedures.

As additional and alternative enforcement provisions, the Director may utilize the procedures and seek the civil penalties, the payment of excess costs and the imposition of a lien upon user's real property, as provided in Sections 54739, 54740, 54740.5 and 54740.6 of the California Government Code and amendments thereto for violations of this Chapter, federal or California pretreatment requirements or the terms and provisions of any permits issued pursuant to this Chapter. (Ord. 6637 §2 (part), 2002)

Section 14.12.550 Invalidity.

If any provision of this Chapter or the application thereof to any user or circumstance is held invalid, the remainder of this Chapter and the application of such provision to other users or circumstances shall not be affected thereby. (Ord. 6637 §2 (part), 2002)

Section 14.12.555 Interpretation - Intent.

All the provisions of this Chapter are to be reasonably interpreted. The intent herein is to recognize that there are varying degrees of hazard to the City's collection system, POTW, the POTW's sludge, personnel, storm drains, surface and subsurface waters, environment and the public, and to apply the principle that the degree of protection shall be commensurate with the degree of hazard. (Ord. 6637 §2 (part), 2002)